

Products catalog



## **Blue Bird Industries Benelux**



## MACHINES DE SCHUTTER

MDS BV
Eikenstraat 15 bus 1
BE 2840 Reet

Tel: +32 (0)3 888 23 51 +31 (0)488 455 060

E-mail: info@mdsbv.eu service@mdsbv.eu

Internet site: www.mdsbv.eu

**Bank: BNP Paribas Fortis** 

- BIC: GEBABEBB

- IBAN: BE93001872514167

Nr. VAT: BE0466649083

## NATURALLY TOGETHER.

## PRODUCTS CATALOG

Les prix dans ce catalogue ne nous engagent pas Veuillez consulter à chaque fois notre site www.mdsbv.eu

De prijzen in deze catalogus binden ons niet. Gelieve telkens onze website te raadplegen www.mdsbv.eu

Die Preise in diesem Katalog sind für uns unverbindlich. Bitte konsultieren Sie immer unsere Website www.mdsbv.eu

The prices in this catalog do not bind us. Please always consult our website www.mdsbv.eu







#### **OUR MISSION**

We are keen to engender the fulfilment of our customers and partners by making the best machinery for green care and by providing all our energy and assistance. We believe in people, the value of work, and the strength of partnership. We are an independent company aiming to continue building a common future.

Blue Bird produces a complete range of machines and Accessories for garden care and maintenance, forestry work, and agriculture.


Whether you are a private or a professional you will find tools, advices and assistance because Blue Bird is a planet where nature is the protagonist along with everything you need to take care of it.



The new Blue Bird range is aimed at passions and to professionals who want to broaden their horizons in landscaping care. From battery-powered machinery to technical clothing, each product offers new guarantees in terms of performance, durability and reliability.



Together is a word that fully represents Blue Bird: together in the company, together with our retailers, together with everyone who uses our products. Blue Bird is there. Close to nature and people, of course! We are very determined: everyone who will use one of our machines must have immediate benefits, satisfaction, greatly facilitated work, and a complete pre-sales and after-sales support. Every machine is meant to prove to be a reliable and loyal partner, just like Blue Bird.



# We are Blue Bird

## WHY CHOOSE BLUE BIRD.



## INDEPENDENCE AND RESPONSIBILITY

We are an Italian company, solid and independent, not linked to multinationals. We are independent in our choices, investments, and production processes, and we take responsibility for them.



## TALENT AND PEOPLE

We believe in work as a value for the individual and for society. That is why we give space to young people and make sure to bring out, cultivate and reward everyone's talent, for the benefit of all and to generate fertile and lasting work.



## FAMILY AND COMPANY

We like to define ourselves as a family company. Because the company is led by Vanda Vitella, the founder's daughter, because decisions are not dropped from above, because there is collaboration and sharing among colleagues, because the determination to grow together is pursued by everyone.



## LISTENING AND COMPETENCE

To make our products, we listen to our customers' needs because we want to improve the quality of their lives. We are helped by our attention to change, all-Italian creativity, and streamlined and efficient production processes.



## RELIABILITY AND FAIRNESS

We are used to giving our word to customers, personnel, retailers, suppliers, and stakeholders and keeping it. We have long-lasting relationships and partnerships based on trust..



## ENVIRONMENT AND FUTURE

Living in contact with green, breathing nature is good for health and creates well-being. Our "pact" with the planet pays attention to the present, with comprehensive resource management, and to the future, with the study of projects dedicated to the schools and professionals of tomorrow.i.



#### THE COMPANY IN NUMBERS

235 1200 130K 2,5MLN

products

retailers

satisfied customers

smiles

The latest addition is the line of machines powered by long-lasting, interchangeable lithium batteriess.

Our constantly updated range includes petrol engines, brush cutters, lawn edgers, lawn mowers, vacuums cleaners/ blowers, hedge trimmers, lawn tractors, lawnmowers, bio-wood chipperss, chainsaws, winches, log splitters, pruners, scissors, Olive shakers, earth augers, motor tillers, crawler carriers, motor pumps and many Accessories.

With the new European regulations coming in, which limit the emission of unburned gases into the atmosphere from Engines, Blue Bird has designed and developed a new range of five environmentally friendly Engines..

# PRODUCTS



Become part of Blue Bird planet



(4)	MACCHINE A BATTERY	Batterymachines Shaft Extension Accessories	PAG 14 PAG 34 PAG 36
	PRATO & CESPUGLI	Brushcutters Hedge Trimmers Blowers / Sprayers Lawn Mowers / Scarifiers Lawn Tractors / Rider Large Surface Mowers Wheeled Brushcutters Remote Control Flail Mowers	PAG 40 PAG 56 PAG 60 PAG 62 PAG 70 PAG 74 PAG 74 PAG 78 PAG 88
	WOOD	Chainsaws / Pruner Winches Log Splitters Shredders Wood Chippers Saw Benches	PAG 90 PAG 98 PAG 100 PAG 104 PAG 106 PAG 110
	FARMING	Olive Harvesters Olive Shakers Carriers	PAG 114 PAG 116 PAG 118
	SOIL	Mini Excavator Earth Augers Motor Drills Motor Tillers	PAG 124 PAG 126 PAG 130 PAG 132
	WATER	Motor pumps	PAG 138
	DEVICES OF PERSONAL PROTECTION & GADGET	Devices of personal protection Gadget	PAG 144 PAG 146



## WINNING COMBINATION, PERFECT RESULTS.

One of the winning features of Blue Bird battery powered machines is the great adaptability. The different gardening and maintenance jobs can be tackled sequentially since the Blue Bird system allows you to use only one battery for multiple products, without compromising performance. Ease of use and low maintenance are standard.

From precision scissors to pruner, from brushcutters to lawn mower, from lawn tractor, from blowers to hedge trimmers, without forgetting the more specific products such as the tool for tying vine shoots, Blue Bird Battery machines make every job easier. We guarantee low levels of vibration despite the high and constant power. The new frontier of battery machines is here: the Blue Bird system is a new way to work more free and with greater efficiency.





#### PRACTICES RELIABLE POWERFUL

The Blue Bird battery range is the most appropriate answer for the multiple needs of green care. Whether it is professional work on large areas or interventions confined to small private areas, the battery machines are essential to facilitate and speed up the action.

# Unstoppable energy

# BATTERY MACCHINE

Batterymachines	PAG 14
Battery platform BP 126	PAG 15
Battery platform BP 168	PAG 18
Battery platform BP 210	PAG 22
Battery platform BP 240	PAG 28
Battery platform BP 504	PAG 28
Battery platform BP 504	PAG 29
Shaft Extension	PAG 34
Accessories	PAG 36

# Only one battery for more products

## BATTERY MACHINES



## BATTERY PLATFORM BP 84

#### **BATTERY PLATFORM BP 84**

The BP84 battery platform with maximum voltage of 8.4V it is compatible with the PS 22-23 TWIN pruning shear, suitable for a quick and easy pruning.

 Lithium Battery BT 84-2
 COD. 451970
 € 18,15\*

 Charger
 COD. 50220014000000
 € 45,98\*



## **PS 22-23 TWIN**



BATTERY PRO 8.4 V

	005,00000
Working voltage	7.2 V
Maximum voltage	8.4 V
Cutting diameter	23 mm max
Cutting options	2 openings + progressive cut
Cutting time	0.4 sec
Lithium Battery	n. 1 included - 8.4 V - 2 Ah
Charging time	2.5 - 4.5 h
Weight battery included	830 gr
Retail price	€ 140 - € 169,40*








## BATTERY PLATFORM BP 126

#### **BATTERY PLATFORM BP 126**

The BP 126 battery platform with maximum voltage of 12.6V powers different Blue Bird products making multiple pruning operations possible through a single accessory.

Lithium Battery BT 126-2.5	COD. 451920	€ 42,35*
Charger	COD. 451940	€ 54,45*



CS 22-04



#### COD. 885610

Retail price	€ 190 - € 229,90*
Weight battery included	1 kg
Speed	variable
Cutting size	100 mm
Chain	1/4 - 1.1 mm - 29 drive links
Bar	4"
Lithium Battery	n. 2 included - 12.6V 2.5Ah
Maximum power	250 W
Maximum voltage	12.6 V
Working voltage	10.8 V
Engine	Brushless

## Guaranteed power



**PCS 22-06** 



Engine	Brushless
Maximum voltage	12.6 V
Lithium Battery	n. 2 included - 12.6V - 2.5 Ah
Bar	6"
Chain	1/4" - 1.1 mm - 38 drive links
Charging time	2.5 - 3.5 h
Weight battery included	2.4 kg
Retail price	€ 295 - € 356,95*



## GC 22-10



- 01. Grass trimmer head
- **02. Hedge trimmer head**: suitable for maintaining domestic hedges.
- **03. Ergonomic handle allows** you to grip the scissors without difficulty for particularly easy cutting.
- 04. Hand protection.

#### COD. 888080

Working voltage 10.8 V
Maximum voltage 12.6 V
Engine Brushless
Power 120 W

Cutting tools Shears + Hedge trimmers

Shears cutting width 109 mm
Blade Hedge trimmers 139 mm
Speed regulation 3 Speed

Battery Lithium battery 12.6 V – 2.5 Ah


Equipment included 1 battery + charger + tools
Shaft Optional

Shaft Optiona Weight (machine) 1000 gr Weight (battery) 200 gr

#### COD. 7200180

Shaft EP 22-10

# Precision is important



### SG 22-10



BATTERY PRO 12.6 V

#### **SPRAYER**

#### COD. 887410

Engine	Brushless
Maximum voltage	12.6 V
Lithium Battery	n 1 included - 12.6 V - 2.5 Ah
LED	6 LED UV
Fuel tank	1 lt
Maximum pressure	10 bar
Throw adjustment	3 modes
Charging time	3 - 4 h
Weight	600 gr (sprayer) + 200 gr (battery)
Retail price	€ 105 - € 127,05*





trimmer head





## PS 23-25 FASTER










Retail price	€ 190,00 - € 229,90*
Weight battery included	900 gr
Charging time	2.5 - 4.5 h
Lithium Battery	n. 2 included 12.6 V - 2 Ah
Cutting options	2 openings + progressive cut
Cutting diameter	25 mm max
Maximum voltage	12.6 V
Working voltage	10.8 V











## BATTERY PLATFORM BP 168

#### **BATTERY PLATFORM BP 16.8V**

The BP 168 battery platform with maximum voltage of 16.8V powers different Blue Bird products making multiple pruning operations possible through a single accessory.

Lithium Battery BT 168-2.5C for CS 22-06	COD. 50305000140000	€ 60,50*
Lithium Battery BT 168-2.5	COD. 451860	€ 60,50*
Charger	COD. 5022001052000	€ 48,40*
Charger for CS 22-06	COD. 5022001059000	€ 48,40*

CS 22-06



#### COD. 887420

Retail price	€ 225 - € 272,25*
Weight battery included	1.4 kg
Charging time	2.5 - 3.5 h
Oil pump	manual
Oil tank	16 ml
Chain	1/4 - 1.1 mm - 34 drive links
Bar	5"
Lithium Battery	n. 2 included - 16.8 V 2.5Ah
Maximum power	220 W
Maximum voltage	16.8 V
Working voltage	14.1 V
Engine	With brushes



## PS 23-28 FASTER



	000.00000
Working voltage	14.4 V
Maximum voltage	16.8 V
Cutting diameter	28 mm max
Cutting options	2 openings + progressive cut
Lithium Battery	n. 2 included - 16.8 V - 2.5 Ah
Charging time	3 - 4 h
Weight battery included	970 gr
Retail price	€ 235 - € 284,35*











## **PS 22-32C**



## Time for pruning

#### COD. 884360

Retail price	€ 375 - € 453,75*
Weight con battery included	970 gr
Charging time	3 - 4 h
Lithium Battery	n. 3 included - 16.8 V - 2.5 Ah
Cutting time	0.4 sec
Cutting options	2 openings + progressive cut
Cutting diameter	32 mm max
Maximum voltage	16.8 V
Working voltage	14.4 V



## PS 23-35 FASTER



BATTERY PRO 16.8 V



Retail price	€ 395 - € 477,95*
Weight battery included	970 gr
Charging time	3 - 4 h
Lithium Battery	n. 3 included - 16.8 V - 2.5 Ah
Cutting options	2 openings + progressive cut
Cutting diameter	35 mm max
Maximum voltage	16.8 V
Working voltage	14.4 V













## PT 23-200



- Indispensable machine for quickly tying vine shoots in small/medium sized vineyards.
- Allows a reduction of working time of more than 50% compared to manual tying.
- Suitable for vineyards, fruit trees and vegetables that need fixing to supports.

## A deep bond





TYING CABLE REEL PT 23-200 BIO PVC 200 mt

COD. 571760

€ 3 - € 3,63\*

2 Ah included






#### **BATTERY PLATFORM BP 168**

The BP 210 battery platform with maximum voltage of 21V powers different Blue Bird products making multiple operations possible through a single accessory.

COD. 452060	€ 66,55*
COD. 451950	€ 114,95*
COD. 5033001120000	€ 54,45*
COD. 8040001076000	€ 90,75*
	COD. 5033001120000



## BC 22-800 L



#### COD. 887860

	COD. 007000
Working voltage	18 V
Maximum voltage	21 V
Engine	Brushless
Battery	Lithium Battery 21 V – 5 Ah
Handle	Loop
Speed	3 Speed
Cutting head	Included, cutting ø 340-380 mm
Equipment included	1 battery + Charger + tools
Weight	3.8 kg
Retail price	€ 370 - € 447,70



## **COMBI 22-800**



#### **MULTI-TOOL KIT**

Working voltage	18 V
Maximum voltage	21 V
Engine	Brushless
Power	800 W
Brushcutter	Included
Hedge trimmers	Included
Pruner	Included
Shaft extension	Included
Battery	Lithium battery 21 V – 5 Ah
Equipment included	1 battery + Charger + tools
Retail price	€ 520 - € 629,20*







## LM 22-41



#### COD.888260

Working voltage	18 V
Maximum voltage	21 V
Engine	Brushless
Battery	Lithium Battery 2 x 21 V-5 Ah included
Equipment	2 batteries + charger included
Traction	No
Cutting width	41 cm
Cutting height	25-75 mm
Cutting modes	Back descharge / mulching
Retail price	€ 540 - € 653,40*



#### LM 22-46 T



Working voltage	18 V
Maximum voltage	21 V
Engine	Brushless
Battery	Lithium Battery 2 x 21 V-5 Ah included
Equipment	2 batteries + charger included
Traction	yes
Cutting width	46 cm
Cutting height	25-75 mm
Cutting modes	Back descharge / mulching
Handle	Telescopic
Retail price	€ 620 - € 750,20*





## HT 22-60



#### COD. 887880

Retail price	€ 380 - € 459,80*
Weight (battery)	670 gr
Weight (machines)	3.5 kg
Equipment included	1 battery + Charger + tools
Battery	Lithium Battery 21 V – 5 Ah
Speed Modes	3 Speed
Pitch	32 mm
Blade length	600 mm
Power	800 W
Engine	Brushless
Maximum voltage	21 V
Working voltage	18 V



## PHT 22-52



#### COD. 887490

Working voltage	18 V
Maximum voltage	21 V
Engine	Brushless
Power	800 W
Blade length	520 mm
Pitch	22.5 mm
Speed Modes	3 Speed
Shaft	Telescopic (from 120 to 240 cm)
Blade inclination	Adjustable up to 180°
Battery	Lithium Battery 21 V – 5 Ah
Equipment included	1 battery + Charger + tools
Retail price	€ 410 - € 496,10*



## BS 22-400



Retail price	€ 420 - € 508,20*
Weight (battery)	670 gr
Fuel tank	3 litri
Max throw	8 m
Max air volume	400 m3/h
Max air speed	45 m/s
Equipment	1 battery + Charger included
Battery	Lithium Battery 21 V – 5 Ah
Power	400 W
Engine	Brushless
Maximum voltage	21 V
Working voltage	18 V





## BL 22-300



#### COD. 887990

Retail price	€ 365 - € 441.65*
Equipment	1 battery + Charger included
Battery	Lithium Battery 21 V – 5 Ah
Power	300 W
Engine	Brushless
Maximum voltage	21 V
Working voltage	18 V



## **THCS 22-07**



BATTERY PRO 21 V

#### COD. 887400

Engine	Brushless
Working voltage	18V
Maximum voltage	21 V
Lithium Battery	n. 2 included - 21 V - 5 Ah
Bar	8"
Chain	1/4" - 1.1 mm - 48 drive links
Charging time	3 - 4 h
Oil pump	Automatic
Weight with battery included	2.5 kg
Retail price	€ 440 - € 532,40*

## The combination of precision and power



## CS 22-07 / CS 22-06 TIMBER



BATTERY PRO 21 V

	COD. 887850	COD. 888210
Engine	Brushless	With brushes
Working voltage	18 V	18 V
Maximum voltage	21 V	21 V
Power	750 W	400 W
Chain	1 / 4 " 42 drive links	1 / 4 " 34 drive links
Bar	7" (175 mm)	5"
Sprocket	8 tooth	
Chain speed	11.5 m/s	4,6 m/s
Battery	Lithium Battery 21 V – 5 Ah	Lithium Battery 21 V - 2.5 Ah
Equipment included	1 battery + Charger + tools	1 battery + Charger + tools
Oil pump	Automatic	Manual
Weight battery included	1.7 kg	1.4 kg
Retail price	€ 420 - € 508,20*	€ 240 - € 290,40*





## PCS 23-08 NIMBLER





#### COD.888600

Maximum voltage	21 V
Power	350 W
Battery	4 Ah
Total length	230 cm
Bar and chain	1/4" - 48 tooth - 8"
Sprocket	7 tooth
Chain speed	10.4 m/s
Charger type	USB type C
Weight battery included	2.3 kg
Retail price	€ 215 - € 260,15*





21V- 4 Ah battery included

## **PCS 22-10A**



BATTERY PRO 21 V

Retail price	€ 440 - € 532,40*
Weight battery included	3.5 kg
Charging time	3 - 4 h
Maximum length	257 mm
Minimum length	177 mm
Chain	1/4" - 1.1 mm - 49 drive links
Bar	9"
Lithium Battery	<b>n. 2</b> included 21 V - 5 Ah
Display	LED
Oil pump	Automatic
Maximum voltage	21 V
Working voltage	18 V
Engine	Brushless









## OLIMPO 23-56 / OLIMPO 23-56 AT

	COD. 888040	COD. 888350
Working voltage	18-43.2V	18-43.2V
Maximum voltage	21-50.4V	21-50.4V
Maximum power	1000 watt	1000 watt
Working power	350 watt	350 watt
Working width	500 mm	500 mm
Speed Modes	3 modes	3 modes
Beats per minute	800-1000-1200	800-1000-1200
Shaft	Fixed	Telescopic
Shaft length	2.400 mm	2.250-3.100 mm
Shaft material	carbon	carbon
Working time with battery 21V - 5Ah	2/3 h (no load)	2/3 h (no load)
Working time with backpack battery 50.4V - 18Ah	9 h (no load)	9 h (no load)
Sticks	4+4	4+4
Control panel	Display LCD	Display LCD
Weight (battery excluded)	2.5 kg	2.9 kg
Retail price	€ 320 - € 387,20*	€ 360 - € 435,60*

The OLIMPO 23-56 and OLIMPO 23-56 AT models are supplied without battery and charger.



COD . 452070

€ 139,15\*



## **BATTERY PLATFORM BP 240**

#### **BATTERY PLATFORM BP 240**

The BT 240-2.5 battery with 24V maximum voltage is compatible with the PS 22-38 shears, suitable for high-performance pruning



Lithium Battery BT 240-2.5

COD. 451960

€ 102,85\*

COD. 5022011040000 € 60,50\* Charger



**BATTERY** 



	_			
CO	п	00	160	12N
1.11	ш.	ОП	ъъ	211

Working voltage 21.6 V Maximum voltage 24 V Cutting diameter 38 mm max

**Cutting options** 2 openings + progressive cut

Cutting time 0.4 sec

Lithium Battery n. 2 included - 24 V - 2.5 Ah

Charging time 2.5 - 4.5 h Weight battery included 1.3 kg

Retail price € 480 - € 580,80



### **BATTERY PLATFORM BP 504**

#### **BATTERY PLATFORM BP 540**

The BT 504-4P battery with Maximum voltage of 50.4V is compatible with the PS 22-40 prunin shear and CS 22-08 pruner, which guarantees extremely functional pruning thanks to the shoulder battery.

€ 556.60\* Lithium Battery BT 504-4P COD. 451910 € 66,55\* Charger COD. 5020210930000

**PS 22-40 4 AH** 



	COD. 884230	COD. 888070
Working voltage	43.2 V	43.2 V
Maximum voltage	50.4 V	50.4 V
Cutting diameter	40 mm max	40 mm max
Cutting options	2 openings + progressive cut	2 openings + progressive cut
Cutting time	0.4 sec	0.4 sec
Lithium Battery	n. 1 included 50.4 V - 4 Ah	not included
Charging time	2.5 - 3.5 h	
Weight	2.5 kg battery included	1.5 kg battery excluded
Retail price	€ 1.022,45*	€ 496.10*





### CS 22-08



	COD. 883990	COD. 885890
Engine	Brushless	Brushless
Working voltage	43.2 V	43.2 V
Maximum voltage	50.4 V	50.4 V
Maximum power	1296 W	1296 W
Lithium Battery		43.2 V 4 Ah included
Charger		included
Backpack		included
Bar	7" 1/1	7" 1/1
Chain	1/4 1.1 mm - 48 drive links	1/4 1.1 mm - 48 drive links
Cutting size	150 mm	150 mm
Speed	variable	variable
Weight battery included	850 gr.	1,85 kg
Retail price	€ 430 - € 520,30*	€ 760 - € 919,60*



## **BATTERY PLATFORM BP 504**

#### **BATTERY PLATFORM BP 540**

Engine

Power

Battery\*

Handle

Ø shaft

**Cutting modes** 

The standard and backpack version batteries of this platform with Maximum voltage of 50.4V power different Blue Bird products, making multiple garden care operations possible through the compatibility of a single accessory.

Backpack BT 504-18Z 50.4V 18A/h	COD. 888050	€ 822,80*
Battery BT 504-5 D (display)	COD. 888300	€ 369,05
Battery BT 504-5 WD (without display)	COD. 888310	€ 338,80*
Standard Charger	COD. 452030	€ 66,55*



## BC 23-800 L / BC 23-800



**Cutting** head Included Included Blade Included Included € 308,55\* € 314,60\* **Retail price** 

3 Speed

28 mm



3 Speed

28 mm



BATTERY PRO 50.4 V

OPTIONAL BACKPACK BATTERY 50.4 V - 18 Ah



## HT 23-70



- Hedge trimmer with 50.4V lithium battery and 800W power.
- 700 mm blades to ensure effective work.
- Handle adjustable on 5 different positions up to 180'to ensure comfort during use.

#### COD. 884090

Retail price	€ 245 - € 296,45*
Weight (machine)	3.5 kg
Adjustable handle	180 ° (5 positions)
Speed Modes	3 Speed
Pitch	32 mm
Blade length	700 mm
Battery*	Lithium Battery 50.4 V – 5 Ah
Power	800 W
Engine	Brushless
Maximum voltage	50.4 V
Working voltage	43.2 V

\* Battery and charger not included





OPTIONAL BACKPACK BATTERY **50.4 V - 18 Ah** 

#### PHT 23-54



#### COD. 887940

	CUD. 88/94U
Working voltage	43.2 V
Maximum voltage	50.4
Engine	Brushless
Power	800W
Battery*	Lithium Battery 50.4 V – 5 Ah
Blade length	540 mm
Pitch	27 mm
Speed Modes	2 Speed
Blade regolation	Adjustable up to 270°
Weight (machine)	5.7 kg
Retail price	€ 320,00 - € 387,20*

\* Battery and charger not included



OPTIONAL BACKPACK BATTERY **50.4 V - 18 Ah** 



## LM 23-51



#### COD. 887890

Working voltage	43.2 V
Maximum voltage	50.4 V
Engine	Brushless
Rated Power	1400 W
Maximum Power	2500 W
Battery*	Lithium Battery 50.4V - 5 Ah
Cutting width	51 cm
Cutting height	25-75 mm
Speeds	6
Retail price	€ 470 - € 568,70*

<sup>\*</sup> Battery and charger not included



## **BL 23-800**



#### COD. 887970

Retail price	€ 135 - € 163,35*
Speed regulation	3 speed + turbo
Max air volume	780 m3/h
Max air speed	70 m/s
Battery*	Lithium Battery 50.4V - 5 Ah
Power	800 W
Engine	Brushless
Maximum voltage	50.4 V
Working voltage	43.2 V

<sup>\*</sup> Battery and charger not included



#### CS 23-16



Retail price	€ 320 - € 387,20*
Weight (machine)	4.5 kg
Oil pump	Automatic
Chain	3 / 8 " 56 drive links
Bar length	16" (40 cm)
Chain Speed	20 m/s
Battery*	Lithium Battery 50.4 V – 5 Ah
Power	2500 W
Engine	Brushless
Maximum voltage	50.4V
Working voltage	43.2 V

<sup>\*</sup> Battery and charger not included





## PCS 23-10



00		00.	TOPO	
1311	ш.	XX.	/3511	

Retail price	€ 320 - € 387,20*
Weight (machine)	5.5 kg
Shaft lenght	260 cm
Oil pump	Automatic
Chain	1 / 4" 48 drive links
Bar length	10" (25 cm)
Chain Speed	13 m/s
Battery*	Lithium Battery 50.4 V – 5 Ah
Power	1000 W
Maximum voltage	50.4 V
Working voltage	43.2 V
Working voltage	43.2 V

<sup>\*</sup> Battery and charger not included



OPTIONAL BACKPACK BATTERY **50.4 V - 18 Ah** 



## OLIMPO 23-56 / OLIMPO 23-56 AT

	COD. 888040	COD. 888350
Working voltage	18-43.2V	18-43.2V
Maximum voltage	21-50.4V	21-50.4V
Maximum power	1000 watt	1000 watt
Working power	350 watt	350 watt
Working width	500 mm	500 mm
Speed regulation	3 modes	3 modes
Beats per minute	800-1000-1200	800-1000-1200
Shaft	Fixed	Telescopic
Shaft length	2.400 mm	2.250-3.100 mm
Shaft material	carbon	carbon
Working time with battery 21V - 5Ah	2/3 h (no load)	2/3 h (no load)
Working time with backpack battery 50.4V - 18Ah	9 h (no load)	9 h (no load)
Sticks	4+4	4+4
Control panel	Display LCD	Display LCD
Weight (excluded battery)	2.5 kg	2.9 kg
Retail price	€ 320 - € 387,20*	€ 360 - € 435,60*

The OLIMPO 23-56 and OLIMPO 23-56 AT models are supplied without battery and charger.







## **SHAFT EXTENSION**

- The range includes 1 extension compatible with the CS 22-04 pruner and the PS 22-23, PS 23-25 FASTER shears, one compatible with the PS 22-32C shears and one compatible with the PS 22-38 shears.
- The connection between the shaft and the tool is wireless.
- The shafts extend up to 2 meters allowing you to work in complete safety with your feet on the ground.





- **01. Bluetooth connection**: allows you to connect scissors and pruners.
- **02. Telescopic attachment**: allows you to extend the poleup to 2 meters.
- 03. Jaw Connecting: quick tool change.



#### EP 22-22



#### COD. 7200140

suitable to	FASTER Pruner CS 22-04
Closed shaft length extension	1.2 mt
Open shaft length extension	2.0 mt
Weight	1.2 kg



## EP 22-32C

#### COD. 7200170

Shaft extension suitable to	Scissor PS 22-32C
Closed shaft length extension	1.5 mt
Open shaft length extension	2.2 mt
Weight	1.2 kg
Retail price	€ 120 - € 145,20*



## EP 22-38

Shaft extension suitable to	Scissor PS 22-38
Closed shaft length extension	1.5 mt
Open shaft length extension	2.2 mt
Weight	1.2 kg
Retail price	€ 130 - € 157,30





### **ACCESSORIES**

- Wide range of accessories designed to optimize performance and ensure efficient machine maintenance.
- Our range of battery machine accessories is designed to give you maximum reliability and performance. Made with highquality materials, our products ensure maximum efficiency of your
- Green professionals or gardening enthusiasts, Blue Bird accessories are designed to meet your most pretentious needs.



#### **ECOLOGIC CHAIN PROTECTIVE OIL**



**VEGETAL CHAIN OIL** 



**PROTECTION** GOGGLES



5 lt bottle

COD. 210120 € 29,04\*

COD. 210280

€ 8,47\*

COD. 21023 € 9,68



### BARS



CS22-04-BAR	€ 12,58*
CS22-06-BAR	€ 19,72*
CS22-07-BAR	€ 23,35*
CS22-08-BAR	€ 35,94*
PCS22-06-BAR	€ 29,98*
PCS22-10-BAR	€ 35,94*
PCS23-10-BAR	€ 43,20*
THCS22-07-BAR	€ 35,94*

### **CHAINS**



CS22-04-CHAIN	€ 9,32*
CS22-06-CHAIN	€ 11,50*
CS22-07-CHAIN	€ 15,13*
CS22-08-CHAIN	€ 16,21*
PCS22-06-CHAIN	€ 13,31*
PCS22-10A-CHAIN	€ 16,21*
PCS23-10-CHAIN	€ 19,72*

## POCKET



COD. 754710 € 18,15\*

#### **UPPER BLADES**



UPPER BLADE PS 22-23 TWIN	3040100570000	€ 38,72*
UPPER BLADE PS 22-23 - PS 23-25 FASTER	3040100050000	€ 37,51*
UPPER BLADE PS 21-25 - PS 22-25	3040000200000	€ 37,51*
UPPER BLADE PS 22-32C	3040000000600	€ 38,72*
UPPER BLADE PS 22-38	3040100350000	€ 48,40*
UPPER BLADE PS 22-40	3040000000700	€ 48,40*

### **LOWER BLADES**



LOWER BLADE PS 22-23 TWIN	3040100045000	€ 31,46*
LOWER BLADE PS 22-23 - PS 23-25 FASTER	3040100040000	€ 31,46*
LOWER BLADE PS 21-25 - PS 22-25	3040100200000	€ 31,46*
LOWER BLADE PS 22-32C	3040100000600	€ 31,46*
LOWER BLADE PS 22-38	3040100340000	€ 48,40*
LOWER BLADE PS 22-40	3040100002000	€ 44,77*



The care and maintenance of vegetation are unthinkable without the basic machines: lawn mowers, large surface mowers, brushcutters and blowers. But also the story of Blue Bird you can't imagine without starting from the brushcutters. They were the first machine produced in 1978 after the development of combustion engines and still are the strength of the company. A history of ingenuity and quality that has expanded over the years with a range of machines that meets all needs..

Advanced technology, Italian design, high quality, handling: the Blue Bird lawn and bushes range must be chosen according to the needs of use and power.

Whether it is the lawn at home or a complex work in uncultivated areas, Blue Bird machines are able to cut the time and multiply the results.





#### **FAMILY TALENT**

Blue Bird's lawn & bushes line includes a wide selection of machines for maintaining parks and gardens and for work in uncultivated areas. From cutting to mowing, from bushes to hedges, for every task Blue Bird presents advanced solutions for both private and professional usage. Each machine is designed to give maximum satisfaction to the user.

Cut out for giving our best

# PRATO & **CESPUGLI**


Brushcutters	PAG 40
Hedge Trimmers	PAG 56
Blowers / Sprayers	PAG 60
Lawn Mowers / Scarifiers	PAG 62
Lawn Tractors / Rider	PAG 70
Large Surface	PAG 74
Mowers	PAG 74
Wheeled Brushcutters	PAG 78
Remote Control	PAG 84
Flail Mowers	PAG 86



### **BRUSHCUTTERS**

- Blue Bird Industries has designed a range of brushcutters that can satisfy every user and adapt to the most varied needs and working conditions.
- The entire line has been developed in collaboration with professionals who use these machines in the woods, parks and gardens; for this reason, particular attention has been paid to safety, ergonomics and quality, reducing vibrations and noise.
- Every aspect of the engines has been reviewed in detail, making numerous changes and adjustments to optimize performance.





- **01. Easy starting** with minimum effort to make the engine start quick and easy.
- **02. Anti-vibration system** made up of springs and rubber supports which guarantees the damping of vibrations between the shaft and the operator, allowing long periods of work without further fatigue.
- 03. Bump-n-work head that guarantees a long period of work without having to stop, extracting the line simply with a knock on the ground while the tool is rotating.
- **04. Shaft mounted on bushings and vibration dampers:** the shaft support is made up of 5 self-lubricating bushings mounted on rubber, which guarantee rotation with minimal friction and dampened vibrations to optimize power transmission.
- **05. Adjustable handle** that guarantees the correct position of the operator.

#### COD. 886000A

Engine	2-stroke* - 25.4 cc
Power	0.75 kW/7500 rpm
Handle	Loop
Shaft diameter	24 mm
Cutting head	tap & go
Shoulder strap	single
Weight**	5.8 kg
Retail price	€ 270 - € 326,70*



\* 2% mixture with synthetic oil \*\* Without fuel, cutting tool and stone guard

# BC 341 L

#### COD. 886100A

Engine	2-stroke* - 33 cc
Power	0.90 kW/7000 rpm
Handle	Loop
Shaft diameter	28 mm
Cutting head	tap & go
Shoulder strap	single
Weight**	6.4 kg
Retail price	€ 290 - € 350,90*



\* 2% mixture with synthetic oil \*\* Without fuel, cutting tool and stone guard



# BC 431 L / BC 431 B

	COD. 886200A	COD. 886300A
Engine	2-stroke* - 42.7 cc	2-stroke* - 42.7 cc
Power	1.25 kW/6500 rpm	1.25 kW/8000 rpm
Handle	Loop	Bike
Shaft diameter	28 mm	28 mm
Cutting head	tap & go	tap & go
Shoulder strap	single	single
Weight**	6.6 kg	7.2 kg
Retail price	€ 300 - 363,00*	€ 310 - € 375,10*



# BC 280 L / BC 280 B

	COD. 886400A/RO	COD. 886500A/RO
Blue Bird Engine	2-stroke* - 27.4 cc	2-stroke* - 27.4 cc
Power	0.94 kW/8000 rpm	0.94 kW/8000 rpm
Handle	Loop	Bike
Shaft diameter	24 mm	24 mm
Cutting head	tap & go	tap & go
Shoulder strap	single	single
Weight**	6.1 kg	6.7 kg
Dotoil price	£ 400 £ 494 00*	£ 420 £ E20 20*



\* 2% mixture with synthetic oil \*\* Without fuel, cutting tool and stone guard


#### BC 300 L



#### 886960A/RO

Blue Bird Engine	2-stroke* - 27.4 cc
Power	0.94 kW/8000 rpm
Handle	Loop
Shaft diameter	26 mm
Cutting head	tap & go
Shoulder strap	single
Weight**	6.1 kg
Retail price	€ 360 - € 435,60*





# BC 370 L / BC 370 B

	COD. 886600A/RO	COD. 886700A/RO
Blue Bird Engine	2-stroke* - 34 cc	2-stroke* - 34 cc
Power	1.14 kW/8000 rpm	1.14 kW/8000 rpm
Handle	Loop	Bike
Shaft diameter	28 mm	28 mm
Cutting head	tap & go	tap & go
Shoulder strap	single	single
Weight**	7.0 kg	7.6 kg
Retail price	£ 435 - £ 526 35*	£ 445 - £ 538 45*



#### BC 380 L



#### 886970A/RO

Blue Bird Engine	2-stroke* - 34 cc
Power	1.14 kW/8000 rpm
Handle	Loop
Shaft diameter	28 mm
Cutting head	tap & go
Shoulder strap	single
Weight**	7.0 kg
Retail price	€ 380 - € 459,80*







#### VERY DEMANDING? ST POWER IS FOR YOU.

ST Power is the new series of powerful and reliable machines suitable for those who are not easily satisfied.

The latest generation of engines developed by the Blue Bird research and development department is the result of painstaking work on every construction detail and on every component. The results are evident at first ignition and last over time, but it is the combustion that gives the greatest satisfaction: more complete and effective, it allows to obtain the desired power while remaining within the EURO V parameters on polluting emissions.

- Power increased by 54%
- Working temperature decreased by 25%
- Torque increased by 63%



# New power generations

#### **UNSURPASSED IN RESISTANCE**

The ST Power series has been put to the test by professional landscapers teams to verify the resistance of the machines to the stress of heavy use. Blue Bird's goal of ensuring powerful products that last unaltered over time has been rigorously implemented.

After several months in demanding environmental conditions, the ST Power machines demonstrated unchanged power and significantly less wear than expected on all components. All to the advantage of the quality of the work and interventions, which are extremely reduced.

- · Unaltered performance even with heavy use
- Power and time do not increase wear
- Maintenance operations drastically reduced



#### CYLINDER

Completely redesigned distribution diagram for 25% more power than the previous model, squish and compression ratio have been revised to increase torque by 63%



#### MAIN BEARINGS

For maximum performance and long life, high smoothness main bearings are used.



#### FLYWHEEL

The flywheel has been modified for a 30% increased air flow. Neodymium magnets used for a more powerful spark and reduced weight.



#### CARBURETOR

New carburetor with increased venturi to ensure the right fuel supply to the engine.

# BC 450 STL / BC 450 STB



**BRUSHCUTTERS MULTIFUNZIONE** 



	COD. 885770A/RO	COD. 885800A/RO
Engine ST POWER	2-stroke*	2-stroke*
Displacement	44.3 cc	44.3 cc
Power	2 kW/7500 rpm	2 kW/7500 rpm
Handle	Loop	Bike
Shaft diameter	28 mm	28 mm
Cutting head	tap & go	tap & go
Shoulder strap	single	Double
Weight**	7.8 kg	8.2 kg
Retail price	€ 480 - € 580,80*	€ 490 - € 592,90*



\*\* Without fuel, cutting tool and stone guard

# BC 560 STL / BC 560 STB



	COD. 885780A/RO	COD. 885810A/RO
Engine ST POWER	2-stroke*	2-stroke*
Displacement	53.2 cc	53.2 cc
Power	2.4 kW/7500 rpm	2.4 kW/7500 rpm
Handle	Loop	Bike
Shaft diameter	28 mm	28 mm
Cutting head	tap & go	tap & go
Shoulder strap	single	Double
Weight**	7.8 kg	8.2 kg
Retail price	€ 500 - € 605,00*	€ 510 - € 617,10*



\* 2% mixture with synthetic oil \*\* Without fuel, cutting tool and stone guard

# BC 610 STL / BC 610 STB



	COD. 885790A/RO	COD. 885820A/RO
Engine ST POWER	2-stroke*	2-stroke*
Displacement	57.9 cc	57.9 cc
Power	2.8 kW/7500 rpm	2.8 kW/7500 rpm
Handle	Loop	Bike
Shaft diameter	28 mm	28 mm
Cutting head	tap & go	tap & go
Shoulder strap	single	Double
Weight**	7.8 kg	8.2 kg
Retail price	€ 520 - € 629,20*	€ 530 - € 641,30*



\* 2% mixture with synthetic oil \*\* Without fuel, cutting tool and stone guard



# BC 450 / 560 / 610 ST PRO



	COD. 885830A/RO	COD. 885840A/RO	COD. 885850A/RO
Engine ST POWER	2-stroke*	2-stroke*	2-stroke*
Displacement	44.3 cc	53.2 cc	57.9 cc
Power	2 kW/7500 rpm	2.4 kW/7500 rpm	2.8 kW/7500 rpm
Handle	Bike	Bike	Bike
Shaft diameter	28 mm	28 mm	28 mm
Cutting head	tap & go	tap & go	tap & go
Shoulder strap	Double	Double	Double
Weight**	8.8 kg	8.8 kg	8.8 kg
Retail price	€ 530 - € 641,30*	€ 555 - € 671,55*	€ 580 - € 701,80



\* 2% mixture with synthetic oil \*\* Without fuel, cutting tool and stone guard

# BCB 450 / 560 / 610 STL



	COD. 885860/RO	COD. 885870/RO	COD. 885880/RO
Engine ST POWER	2-stroke*	2-stroke*	2-stroke*
Displacement	44.3 cc	53.2 cc	57.9 cc
Power	2 kW/7500 rpm	2.4 kW/7500 rpm	2.8 kW/7500 rpm
Handle	Loop	Loop	Loop
Shaft diameter	27 mm	27 mm	27 mm
Cutting head	tap & go	tap & go	tap & go
Shoulder strap	backpack	backpack	backpack
Weight**	12.2 kg	12.2 kg	12.2 kg
Retail price	€ 585 - € 707,85*	€ 600 - € 726,00*	€ 620 - 750,20*



\* 2% mixture with synthetic oil \*\* Without fuel, cutting tool and stone guard





# COMBI BCB 560 ST



**BRUSHCUTTERS ACCESSORIES** 



#### COD. 885730/RO

Engine ST POWER	2-stroke*
Displacement	53.2 cc
Power	2.4 kW/7500 rpm
Shaft diameter	26 mm
Cutting head	tap & go
Blade	included
Shoulder strap	backpack
Weight**	12.2 kg
Retail price	€ 640 - € 774,40*

<sup>\* 2%</sup> mixture with synthetic oil \*\* Without fuel, cutting tool and stone guard



# COMBI 261 / 341

	COD. 885010	COD. 885020
Engine	2-stroke* - 25.4 cc	2-stroke* - 32.6 cc
Power	0.72 kW/7000 rpm	0.92 kW/7000 rpm
Handle	Loop	Loop
Shaft diameter	26	26
Weight**	4.5 kg	4.9 kg
Retail price	€ 300 - € 363,00*	€ 320 - 387,20*

 $<sup>^{\</sup>ast}$  2% mixture with synthetic oil  $\,^{\ast\ast}$  Without fuel, cutting tool and stone guard





## COMBI 280 / 370

	COD. 878320A/RO	COD. 878330A/RO
	0/032UA/KU	0/033UA/KU
Engine	P28E - 2-stroke* - 27.4 cc	P35E - 2-stroke* - 34 cc
Power	0.94 kW/8000 rpm	1.14 kW/8000 rpm
Handle	Loop	Loop
Shaft diameter	24 mm	24 mm
Weight**	5.3 kg	5.3 kg
Retail price	€ 620 - € 750,20*	€ 640 - € 774,40*

 $<sup>^{\</sup>ast}$  2% mixture with synthetic oil  $\,^{\ast\ast}$  Without fuel, cutting tool and stone guard







#### **MULTI-TOOL ACCESSORIES**



**BLUEBIRD**INDUSTRIES

In addition to producing the most varied types of brushcutters, Blue Bird Industries offers a wide range of accessories for these machines, thus always guaranteeing the right tool for every type of job.

Among the accessories there is the chain pruner, indispensable for perfect limbing; the hedge trimmer kit, to be applied to the brushcutter shaft to cut hedges and bushes even at great heights and at the most diverse angles; various types of handles, belts, helmets, face shields, goggles and headphones.

Finally, not to forget the handy bellows grease nipples for gearbox and the cans of synthetic oil essential for an excellent quality mixture, which guarantees the longevity of your engines.



#### **CHAIN PRUNER**







COD. 727350 COD. 730020

Shaft diameter	24 mm	26 mm
Retail price	€ 121,00*	€ 121,00*

COD. 727340 COD. 730010

Shaft diameter	24 mm	26 mm
Retail price	€ 121,00*	€ 121,00*

#### SHAFT EXTENSION



COD. 727360 COD. 730040

Retail price	€ 31.46*	€ 31.46*	
Shaft diameter	24 mm	26 mm	

#### **BRUSHCUTTER**



COD. 727330 COD. 730000

Shaft diameter	24 mm	26 mm
Retail price	€ 90,60*	€ 90,60



#### **HEDGE TRIMMER KIT**



COD. 725030

COD. 725040

Øshaft	24 mm	27 mm
Retail price	€ 380 - 459,80*	€ 390 - 471,90*

#### **CHAIN PRUNER**



Ø shaft 24 mm

COD. 725300

€ 170 - € 205,70\*

#### **WEEDER**





COD. 731130

COD. 731140

Accesories	W2	W4
Retail price	€ 175 - € 211,75*	€ 205 - € 248,05*

#### SHOULDER STRAP



Ø 24 / 27 / 28 mm **COD. 751580** 

€6-€7,26\*

#### **DOUBLE PROFESSIONAL SHOULDER STRAP**



5 adjustments with protection COD. 751630

€ 10 - € 12,10\* COD. 754770/YJ € 26 - € 31,46\*

#### **PROFESSIONAL FACE SHIELD**





polycarbonate COD. 751840 metalllic net COD. 751860

#### SYNTHETIC OIL

#### FOR 2-STROKE ENGINES



RED **PROFESSIONAL** 

25 bottles 100 ml	COD. 725410	€ 78,65*
1 lt bottle	COD. 210080	€ 15,73*

#### FOR 2-STROKE ENGINES



**BLUE** SUPER **PROFESSIONAL** 

25 bottles 100 ml	COD. 731090	€ 106,48*
1 lt bottle	COD. 210360	€ 26,62*

#### **GREASER**



25 dispensers x 50 gr

COD. 724060

€ 68,97



#### **BRUSHCUTTERS ACCESSORIES**



#### **FLASH WORK CUTTING HEAD**



Pitch m 10x1 F Pitch m 10x1,25 F

COD. 732130

€ 24,20

#### ADAPTER BOLTS FOR **FLASH WORK CUTTING HEAD**

M7x1 SX M	COD. K00401045	€ 2,40*
M8x1,25 SX F	COD. K00401046	€ 2,40*
M8x1,25 SX M	COD. K00401061	€ 2,40*
M10x1 SX F	COD. K00401047	€ 2,40*
M10x1,25 SX M	COD. K00401048	€ 2,40*
M10x1,25 SX F	COD. K00401062	€ 2,40*
M10x1,5 SX M	COD. K00401049	€ 2,40*
M10x1,5 SX F	COD. K00401050	€ 2,40*
M12x1,25 SX F	COD. K00401051	€ 2,40*
M12x1,5 SX F	COD. K00401052	€ 2,40*
M12x1,75 SX F	COD. K00401053	€ 2,40*
3/8-24F SX F	COD. K00401054	€ 2,40*
M14x1,5 SX F	COD. K00401057	€ 2,40*

#### CUTTING HEAD BUMP-N-WORK



Ø 130 M10x1 SX F	COD. 733020	€ 10,70*
Ø 130 Pitch m 8x1,25 FSX	COD. 733160	€ 10,70*
Ø 130 Pitch m 10x1,25 FSX	COD. 733170	€ 10,70*
Ø 130 Pitch m 8x1,25 MSX	COD. 733190	€ 10,70*
Ø 130n o pitch	COD. 733080	€ 10,10*
Ø 109 M10x1 SX F	COD. 733290	€ 10,10*
Ø 109 no pitch	COD. 733090	€ 9,50*

#### UNIVERSAL **BUMP-N-WORK CUTTING HEAD**

#### **CUTTING HEAD KNOB**

#### **TORNADO CUTTING HEAD**









Ø 130 universal

COD. 733240 € 18,15\*

reinf.35 mm	COD. K00401080A	€ 8,55*
free wheel	COD. K99900492	€ 11,33*
reinf.55 mm	COD. K00401253	€ 8,75*

COD. 20052 € 19,94\*

#### **CICLONE CUTTING HEAD**

#### **SPEED UNIVERSAL CUTTING HEAD**

#### TRIMMING LINE CUTTER



COD. 20056 € 22,39\*



COD. 752950 aluminium 2 lines € 47,19\* COD. 752960 aluminium 4 lines



175 pcs boxes

COD. 546910 € 1,21\*



# 2-TOOTH GRASS CUTTING BLADE



SKS5 steel 255x1.6	COD. 600300	€ 6,0
SKS5 steel 300x1.8	COD. 600660	€ 8,4
steel 300x3	COD. 600830	€ 8,4
Busatis steel 305x3	COD. 600630	€ 21
Unbreakable nylon	COD. 600120	€ 2,4

#### 2-TOOTH MULCHING BLADE



		_
Mulching 300x3	COD. 600820	€ 13,31*

# 3-TOOTH GRASS CUTTING BLADE



SKS5 steel 255x1.4	COD. 600250	€ 13
steel 38 CBI 250x3	COD. 600600	€ 10
steel 38 CBI 300X3	COD. 600610	€ 14
Unbreakable nylon 255x3	COD. 600130	€ 3,

#### 4-TOOTH GRASS CUTTING BLADE

#### 8-TOOTH GRASS CUTTING BLADE



# CIRCULAR SAW GRASS CUTTING BLADE



SKS5 steel 255x1.4	COD. 600050	€ 10,89*						
Unbreakable nylon 255x3	COD. 600140	€ 3,63*	SKS5 steel 25	55x1.4 <b>COD. 6000</b> 4	0 € 12,10*	SKS5 steel 255x1	.4 <b>COD. 600060</b>	€ 12,10*

#### WIDIA CIRCULAR SAW BLADE



Widia Ø 255x2 **COD. 600640 € 25,41**\*



In the range of Blue Bird Industries Accessories, nylon line is among the essential ones.

Our CORALLO thread stands out for its resistance and diameter which varies from 1.6 to 6 mm.

Depending on the use we have various types available: with round, square or star section. The length is also available in various models: from the 9/15 m bag up to the 10 kg reels..





#### **ROUND SHAPE NYLON LINE**





#### **SQUARE SHAPE NYLON LINE**








#### STAR SHAPE NYLON LINE







10

kg

2.4 3.		3.3
COD. 542240 CC	100 DD. 542250 <b>L5,5 - € 18,76</b> *	mt 100 COD. 542260 € 19 - € 22,99*
COD. 542330 CC	232 DD. 542340 <b>23,1 - € 27,95</b> *	mt 182 COD. 542350 € 23,1 - € 27,95*
COD. 542380-10K CC	1160 DD. 542340-10K <b>20,7 - € 25,05</b> *	mt 910 COD. 542350-10K € 20,7 - € 25,05*



#### **SILENCED NYLON LINE**





2.5	3.0	3.3
mt 86 COD. 545360	mt 50 COD. 545370	mt 37 COD. 545380
€ 14,1 - € 17,06*	€ 14,1 - € 17,06*	€ 14,1 - € 17,06*

#### TITANIUM POWER NYLON LINE ROUND SHAPE











2.5	3.0	3.5	4.0
mt 80	mt 56	mt 41	mt 29
COD. 546720	COD. 546730	COD. 546740	COD. 547550
€ 16 - € 19,36*	€ 16 - € 19,36	€ 16 - € 19,36*	€ 16 - € 19,36
mt 15	mt 15	mt 15	-
COD. 546690	COD. 546700	COD. 546710	
€ <b>5,6 - € 6,78</b> *	€ 6,9 - € 8,35*	€ 8,2 - € 9,92*	
mt 360	mt 240	mt 210	mt 150
COD. 546750	COD. 546760	COD. 546770	COD. 548030
€ 28,1 - € 34,00*	€ 28,1 - € 34,00	€ 28,1 - € 34,00*	€ 28,1 - € 34,00*
mt 1800	mt 1200	mt 1050	mt 700
COD. 546750-10K	COD. 546760-10K	COD. 546770-10K	COD. 548030-10K
€ 25,7 - € 31,10*	€ 25,7 - € 31,10*	€ 25,7 - € 31,10*	€ 25,7 - € 31,10*

#### TITANIUM POWER NYLON LINE SQUARE SHAPE









3.0	3.5	4.0
mt 44	mt 32	mt 23
COD. 547530	COD. 546930	COD. 547540
€ 17,7 - € 21,42*	€ 17,7 - € 21,42*	€ <b>17,7 - € 21,42</b> *
mt 232	mt 182	mt 110
COD. 548000	COD. 548010	COD. 548020
€ 28,1 - € 34,00*	€ 28,1 - € 34,00*	€ <b>28,1 - € 34,00</b> *
mt 1060	mt 780	mt 590
COD. 548000-10K	COD. 548010-10K	COD. 548020-10K
€ 25,7 - € 31,10	€ 25,7 - € 31,10*	€ 25,7 - € 31,10*

#### **NYLSAW NYLON LINE**





3.0	3.5	4.0	4.5
mt 37	mt 27	mt 21	mt 16
COD. 544740	COD. 544750	COD. 544760	COD. 544770
€ 19,3 - € 23,35*	€ 19,3 - € 23,35*	€ 19,3 - € 23,35*	€ 19,3 - 23,35*
35 fili	25 fili	20 fili	15 fili
COD. 545090	COD. 545100	COD. 545110	COD. 545120
€ 10,6 - € 12,83*	<b>€ 10,6 - € 12,83</b> *	€ 10,6 - € 12,83*	€ <b>10,6 - € 12,83</b> *

#### **WAVY LINE**



T 2 - SP66	T.2,4 - SP66	T.2,7 - SP66	T.3 - SP66
mt 126 548190	mt 87 548200	mt 72 548210	mt 56 548220
€	€	€	€







**BRUSHCUTTERS ACCESSORIES** 









## **HEDGE TRIMMERS**

- The edge trimmer is a tool designed for cutting hedges as easily as possible.
- Suitable for carrying out pruning activities without difficulty even on the sturdiest hedges.
- Consisting essentially of 3 elements: motor, handle, double cut blade in stainless steel.
- High quality blades guarantee a clean cut.
- The product is easy to use thanks to the adjustable handle to give the operator the possibility to always cut with maximum comfort.





- **01.** Adjustable ergonomic handle for easier handling and comfort.
- **02. Hand protection:** the handle placed close to the blade has the function of protecting the hands of the user.
- 03. The teeth are milled and can cut very thick branches.
- **04. Double blades** with double movement cutting bars to ensure maximum precision.





#### COD. 880110

Electric engine	600W 230V - 50HZ
Blade length	51 cm
Blade type	Double guided cutting bars
Teeth	On both sides
Tooth pitch	24 mm
Adjustable handle	no
Weight	3.2 kg
Retail price	€ 85 - € 102,85*



# **HTE 710**

#### COD. 880120

Electric engine	710W 230V - 50HZ
Blade length	61 cm
Blade type	SK steel double guided cutting bars
Teeth	On both sides
Tooth pitch	24 mm
Adjustable handle	On 5 positions at 180°
Weight	3.7 kg
Retail price	€ 105 - € 127,05*



# HT 261

Engine	1E34FN - 2-stroke* - 25.4 cc
Power	0.6 kW/7000 rpm
Blade length	61 cm
Blade type	Double guided cutting bars
Teeth	On both sides
Tooth pitch	27 mm
Blade break	Included
Adjustable handle	On 5 positions at 180°
Weight**	6.3 kg
Retail price	€ 205 - € 248,05



\* 2% synthetic oil mixture \*\* Weight without mixture

# HT 261-J60

#### COD. 883260A

Engine	1E34FN - 2-stroke* - 25.4 cc
Power	0.7 kW/7000 rpm
Blade length	60 cm
Blade type	Double guided cutting bars
Teeth	On both sides
Tooth pitch	28 mm
Adjustable handle	On 5 positions at 180°
Weight**	5.2 kg
Retail price	€ 395 - € 477,95*



# HTK 230-J60

#### COD. 883180A

Retail price	€ 545 - € 659,45*
Weight**	5.4 kg
Adjustable handle	On 5 positions at 180°
Tooth pitch	28 mm
Teeth	On both sides
Blade type	Double guided cutting bars
Blade length	60 cm
Power	0.63 kW/7500 rpm
Engine Kawasaki	TJ 23 V - 2-stroke* - 23.3 cc



# HT 261-J75

#### COD. 885750A

	COD. 003/30A
Engine	1E34FN - 2-stroke* - 25.4 cc
Power	0.7 kW/7000 rpm
Blade length	75 cm
Blade type	Double guided cutting bars
Teeth	On both sides
Tooth pitch	28 mm
Adjustable handle	On 5 positions at 180°
Weight**	5.4 kg
Retail price	€ 410 - € 496,10*





# HTK 230-J75



#### COD. 885130A

Engine Kawasaki	TJ 23 V - 2-stroke* - 23.3 cc
Power	0.63 kW/7500 rpm
Blade length	75 cm
Blade type	Double guided cutting bars
Teeth	On both sides
Tooth pitch	28 mm
Adjustable handle	On 5 positions at 180°
Weight**	5.6 kg
Detail price	6 E70







# BLOWERS / SPRAYERS

- Blowers and vacuums ideal for clearing or collecting fallen leaves effortlessly.
- The vacuum function shreds the foliage optimizing the space in the bag, returning the material ready for composting.
- Sprayers for the maintenance of fruit and vegetable plants, suitable for all types of treatment thanks to the nebulization and pulverization function.





- **01.** Handle with vibration dampers for greater comfort.
- **02. Easy starting** that allows the machine to be started without effort and fatigue.
- 03. Lower handle for conversion to aspirator.
- **04. Outlet pipe** aligned with the engine.

**BLOWERS - SPRAYERS** 





#### COD. 883740

Engine	Ecological Euro 5 2 stroke*
Displacement	27.2 cc
Collecting bag	45 lt
Air emission speed	252 km/h
Shredding ratio	10:1
Weight vacuum/ blower**	5.7 / 4.6 kg
blower **	€ 205 - € 248,05*

# Blower and vacuum in one tool

\* 2% synthetic oil mixture \*\* Weight without mixture

## **BBL 801**

#### COD. 883890

Engine	Ecologico Euro 5 a scoppio 2-stroke*
Displacement	75.6 cc
Air emission speed	331 km/h
Cruise control	included
Weight **	11.6 kg
Retail price	€ 500 - € 605,00*



\* 2% synthetic oil mixture

\*\* Weight without mixture

# MD 601

#### CUD COUSEU

	CUD. 880350
Engine	Ecological Euro 5 2-stroke*
Displacement	59.2 cc
Power	2.65 kW
Tank capacity	14 lt
Max range	8 mt
Max range with double tip (included)	12 mt
Suitable for	Liquid and dust
Pump	included
Weight*	10.3 kg
Retail price	€ 310 - € 375,10*





## LAWN MOWERS / SCARIFIERS

- The wide range of lawnmowers offered by Blue Bird Industries is able to satisfy the most varied needs of both the amateur and professional user.
- We find models which, thanks to their lightness and manageability, are ideal for the home garden and for surfaces up to 500 metres.
- The self-propelled lawn mowers, with steel or aluminum decks, guarantee great reliability and cutting quality in all situations and with surfaces up to 3000 metres.
- All models are equipped with Cutting height adjustment and grass catcher.
- The super professional models are equipped with a three-speed gearbox.





- 01. Steel deck for greater resistance.
- **02. Side discharge deflector**: for an effective redistribution of the grass on the lawn.
- **03.** Accelerator lever to customize the mower's cutting speed.
- **04.** Centralized height adjustment that allows you to quickly select the desired grass height by choosing from the available positions.



# **SPRINT B42**



#### COD. 885660

Engine BBI	146 cc
Cutting width	42 cm
Cutting height	5 pos. from 2.5 to 7.5 cm
Cutting height adjustment	Central
Wheels size	front 6" - back 7"
Deck	metal
Grass collecting bag	40 lt
Traction	no
Net weight	23 kg
Retail price	€ 245 - € 296,45*



# **SPRINT B46 T**

Engine BBI	146 cc
Cutting width	46 cm
Cutting height	7 pos. from 2.5 to 7.5 cm
Cutting height adjustment	Central
Wheels size	front 7" - back 8"
Deck	metal
Grass collecting bag	50 lt
Traction	yes
Included Accessories	Mulching kit - side discharge
Net weight	30 kg
Retail price	€ 320 - € 387,20*







# **SPRINT H46 T**

#### COD. 885690

Engine Honda	GCVx170 - 166 cc
Cutting width	46 cm
Cutting height	7 pos. from 2.5 to 7.5 cm
Cutting height adjustment	Central
Wheels size	front 7" - back 8"
Deck	metal
Grass collecting bag	50 lt
Traction	yes
Accessories included	Mulching kit - side discharge
Net weight	30 kg
Retail price	€ 600 - € 726,00*



# **SPRINT B51 T**

#### COD. 885680

Engine BBI	173 cc
Cutting width	51 cm
Cutting height	7 pos. from 2.5 to 7.5 cm
Cutting height adjustment	Central
Wheels size	front 7" - back 8"
Deck	metal
Grass collecting bag	60 lt
Traction	yes
Accessories included	Mulching kit - side discharge
Net weight	39 kg
Retail price	€ 375 - 453,75*



# **SPRINT H51 T**

	0.01/ 0.00 0.01
Engine Honda	GCVx200 - 201 cc
Cutting width	51 cm
Cutting height	7 pos. from 2.5 to 7.5 cm
Cutting height adjustment	Central
Wheels size	front 7" - back 10"
Deck	metal
Grass collecting bag	60 lt
Traction	yes
Accessories included	Mulching kit - side discharge
Net weight	39 kg
Retail price	€ 610 - € 738,10*



# TAURUS L41

BLUEBIRD INDUSTRIES



#### COD. 885760

Engine	Loncin 123 cc
Cutting width	41 cm
Cutting height	6 pos. from 2.5 to 7.5 cm
Cutting height adjustment	Central
Deck	High quality steel
Grass collecting bag	45 lt
Traction	no
Net weight	23 kg
Retail price	€ 275 - € 332,75*



# **TAURUS L46**

#### COD. 887440

Engine	Loncin 166 cc
Cutting width	46 cm
Cutting height	6 pos. from 2.5 to 7.5 cm
Cutting height adjustment	Central
Deck	High quality steel
Grass collecting bag	45 lt
Traction	no
Net weight	29 kg
Retail price	€ 310 - € 375,10*

# **TAURUS L46 T**

Engine	Loncin 139 cc
Cutting width	46 cm
Cutting height	6 pos. from 2.5 to 7.5 cm
Cutting height adjustment	Central
Deck	High quality steel
Grass collecting bag	60 lt
Traction	yes
Accessories included	Mulching kit - side discharge
Net weight	33 kg
Retail price	€ 350 - € 423,50*





# TAURUS L46 TWS / TAURUS H46 TWS

	COD. 885530	COD. 885540
Engine	Loncin - 159 cc	Honda GCV170 - 166 cc
Cutting width	46 cm	46 cm
Cutting height	6 pos. from 2.5 to 7.5 cm	6 pos. from 2.5 to 7.5 cm
Cutting height adjustment	Central	Central
Deck	High quality steel	High quality steel
Grass collecting bag	60 lt	60 lt
Traction	yes	yes
Accessories included	Mulching kit - side discharge	Mulching kit - side discharge
Net weight	33 kg	33 kg
Retail price	€ 470 - € 568,70*	€ 625 - 756,25*



# TAURUS L51 T / TAURUS L51 TI

	COD. 885630	COD. 885640
Engine	Loncin 196 cc	Loncin Instart - 196 cc
Cutting width	51 cm	51 cm
Cutting height	6 pos. from 2.5 to 7.5 cm	6 pos. from 2.5 to 7.5 cm
Cutting height adjustment	Central	Central
Deck	High quality steel	High quality steel
Grass collecting bag	65 lt	65 lt
Traction	yes	yes
Accessories included	Mulching kit - side discharge	Mulching kit - side discharge
Net weight	35 kg	35 kg
Retail price	€ 385 - € 465,85*	€ 475 - € 574,75*



# TAURUS L51 TWS / TAURUS H51 TWS

	COD. 885550	COD. 885560
Engine	Loncin - 196 cc	Honda GCVx200 - 201 cc
Cutting width	51 cm	51 cm
Cutting height	6 pos. from 2.5 to 7.5 cm	6 pos. from 2.5 to 7.5 cm
Cutting height adjustment	Central	Central
Deck	High quality steel	High quality steel
Grass collecting bag	70 lt	70 lt
Traction	yes	yes
Accessories included	Mulching kit - side discharge	Mulching kit - side discharge
Net weight	47 kg	47 kg
Retail price	€ 520 - € 629,20*	€ 690 - € 834,90*





# **TAURUS L56 TW**





Adjustable on 5 from 3 to 7.5 **Cutting height** 

Cutting height adjustment Central

High quality steel Deck

Grass collecting bag 75 lt

Traction yes - 4 Speed

Accessories included Mulching kit - side discharge

Net weight 47 kg

€ 540 - € 653,40\* Retail price



# **TAURUS BS53 TWA**

#### COD. 879040

Engine	B&S serie 675 EXI - 163 cc
Cutting width	53 cm
Cutting height	Adjustable on 7 positions da 2.5 a 8 cm
Cutting height adjustment	Central
Deck	aluminium
Grass collecting bag	70 lt
Traction	yes
Accessories included	mulching kit
Net weight	45 kg
Retail price	€ 790 - € 955,90*



# **TAURUS K51 PRO**

Engine Kawasaki	FJ180V - 179 cc
Cutting width	51 cm
Cutting height	Adjustable on 6 positions da 3 a 9 cm
Cutting height adjustment	Central
Deck	High quality steel
Grass collecting bag	70 lt
Traction	yes - 1 Speed
Accessories included	Mulching kit - side discharge
Net weight	47 kg
Retail price	€ 775 - € 937,75*





# **LAWN MOWERS ACCESSORIESS**

### LAME

Mulching blade for mod. Taurus 51T e World WYZ20-BS60-B	COD. 2000002B	€ 20,39*
Mulching blade for mod. Taurus 56TW e World WYZ22-BS60-B	COD. 2200039B	€ 22,65*
Blade for Taurus/World lawn mower cutting width 41 cm	COD. 1600119	€ 17,37*
Blade for Taurus/World lawn mower cutting width 46 cm	COD. XSS46-01	€ 18,12*
Blade for Taurus/World lawn mower cutting width 51 cm	COD. 2000002	€ 19,63*
Blade for Taurus/World lawn mower 53T	COD. 2100005	€ 24,16*
Blade for Taurus/World lawn mower 53TW	COD. 2100709	€ 22,65*
Blade for Taurus/World lawn mower cutting width 56 cm	COD. 2200039	€ 24,16*





LAWN MOWERS

# TAURUS BS51 S

### **SCARIFIER**

#### COD. 885590

Engine B&S XR 750 Working width 51 cm Cutting height 5 positions Central

Cutting height adjust-ment

BLUEBIRD INDUSTRIES

Deck High quality steel Cutting system Straight blades

Net weight 45 kg

Retail price € 720 - € 871,20\*







# LAWN TRACTORS / RIDER

- These are exceptional tools for landscaping suitable for both users who want to keep their garden tidy, and for professionals who want to take care of large parks and green areas.
- The models are available with two discharge modes: rear and side complete with mulching option.
   For all models the cutting height is adjustable in 7 different positions and the plate is made of steel.
- The machines are equipped with hydrostatic and mechanical transmission.





- 01. Led headlights for wide visibility.
- 02. Comfortable seat to work in comfort.
- **03. Steel plate** for greater strength.

- 04. Starting electric motor.
- **05. Hydrostatic transmission** for complete pedal speedcontrol.



#### **SD 86M** NEW

#### COD. 888520

Cutting mode	Side discharge+mulching
Cutting width	86 cm
Cutting deck	Steel
Cutting height	30-90 mm (7 positions)
Engine	Loncin 352
Starting	Electric
Fuel tank	7,5 lt
Trasmission	Mechanical
Headlights	yes
Seat	Adjustable
Weight	170 kg
Retail price	€ 2.388,43 - € 2.890,00*



#### LT SD 98M / LT SD 98H NEW

	COD. 888540	COD. 888240
Cutting mode	Side discharge+mulching	Side discharge+mulching
Cutting width	98 cm	98 cm
Cutting deck	Steel	Steel
Cutting height	30-90 mm (7 posi- tions)	30-90 mm (7 positions)
Engine	Loncin 432	Loncin 432
Starting	Electric	Electric
Fuel tank	7,5 lt	7,5 lt
Trasmission	Mechanical	Hydro
Headlights	yes	yes
Seat	Adjustable	Adjustable
Weight	190 kg	190 kg
Retail price	€ 2.475,21 - €2.995*	€ 2.764,46 - 3.345*



# LT SD 108H

Cutting mode	Side discharge+mulching
Cutting width	108 cm
Cutting deck	Steel
Cutting height	30-90 mm (7 positions)
Engine	Loncin 452
Starting	Electric
Fuel tank	7,5 lt
Trasmission	Hydro
Headlights	yes
Seat	Adjustable
Weight	170 kg
Retail price	€ 2.929,75 - € 3.545*





# LT C 86M / LT C 86H



	COD. 888530	COD. 888130
Cutting mode	Back descharge + mulching	Back descharge + mulching
Cutting width	86 cm	86 cm
Cutting deck	Steel	Steel
Cutting height	30-90 mm (7 positions)	30-90 mm (7 positions)
Engine	Loncin 432	Loncin 432
Starting	Electric	Electric
Fuel tank	7,5 lt	7,5 lt
Trasmission	Mechanical	Hydro
Grass collector capacity	245 lt	245 lt
Headlights	yes	yess
Seat	Adjustable	Adjustable
Weight	190 kg	190 kg
Retail price	€2.966,94 - € 3.590*	€ 3.098,35 - € 3.749*



# LT C 92H

#### COD. 888110

Cutting mode	Back descharge + mulching
Cutting width	92 cm
Cutting deck	Steel
Cutting height	30-90 mm (7 positions)
Engine	Loncin 452
Starting	Electric
Fuel tank	7,5 lt
Trasmission	Hydro
Grass collector capacity	245 lt
Headlights	yes
Seat	Adjustable
Weight	210 kg
Retail price	€ 3.297,52 - € 3.990*



# LT C 102H TWIN

#### COD. 888120

Cutting mode	Rear discharge + mulching
Cutting width	102 cm
Cutting deck	Steel
Cutting height	30-90 mm (7 positions)
Engine	Loncin 586 TWIN
Starting	Electric
Fuel tank	7,5 lt
Trasmission	Hydro
Grass collector capacity	245 lt
Headlights	yes
Seat	Adjustable
Weight	210 kg
Retail price	€ 3.876,03 - € 4.690*





All lawn tractors models by Blue Bird Industries are supplied with a maintained battery charger



## RIDER BR SD 98





(<u>}</u>



Battery	48 V - 75 Ah <b>included</b>
Engine Power	1200 W
Blades Power	1350 W
Cutting width	98 cm
Cutting height	30-100 mm (7 positions)
Turning radius	45 cm
Cutting mode	Side discharge+mulching
Drive	Pedal operated
Maximum Speed	12,8 km/h
Retail price	€ 3.793,39 - € 4.590*



## RIDER BR SD 108



Battery	48 V - 75 Ah <b>included</b>
Power Engine avan- zamento	1200 W
Power Engine lame	1350 W
Cutting width	108 cm
Cutting height	30-100 mm (7 positions)
Turning radius	45 cm
Cutting mode	Side discharge+mulching
Drive	Pedal operated
Maximum Speed	12,8 km/h
Retail price	€ 4.049,59 - € 4.900*








## LARGE SURFACE MOWERS

- A new range allows easy lawn mowing while working quickly and with great results.
- Machines for professional use suitable for large surfaces such as parks or public gardens.
- The innovative, robust and stable structure allows practical and intuitive driving, ideal for terrains with obstacles that need to be circumvented with greater manoeuvrability.
- Pneumatic wheels are ideal for large uneven ground.





- 01. Comfortable seat to face hours of work in comfort.
- **02.** "Turf care" rear wheels to adapt perfectly to the ground.
- 03. Cutting plate in welded steel sheet, robust, equipped with 3 blades. Made to tackle taller, denser grass with ease.
- 04. "Easy lift" deck lift pedal.
- 05. Led lights for a wide visibility.

## 715 PRO

BLUEBIRD INDUSTRIES



Engine	Briggs & Stratton - 344 cc
Power	10.5 Hp
Cylinders	1
Trasmission	3 Speed
Cutting mode	Side discharge
Cutting width	711 mm
Cutting height	6 positions
Speed	3 forward Speeds
Weight	154 kg
Retail price	€ 2.230 - € 2.698,30



## ZTR 46 L PRO

Engine	Loncin LC2P77 - 708 cc
Power	16 kW
Cylinders	2
Trasmission	Hydro
Blades engagement	Electromagnetic clutch
Cutting mode	Mulching kit - side discharge
Cutting width	1160 mm
Cutting height	7 positions
Speed	1 forward Speeds + reverse
Included Accessories	LED headlights
Weight	270 kg
Retail price	€ 6.400 - € 7.744,00*
	·





## ZTR 50 PRO

#### COD. 882480

	COD. 00E700
Engine	Kawasaki FR691V - 726 cc
Power	15.4 kW (20.6 h6) / 3600 rpm
Cylinders	2
Trasmission	Hydro
Blades engagement	Electromagnetic clutch
Cutting mode	Mulching kit - side discharge
Cutting width	1270 mm
Cutting height	7 positions
Speed	1 forward speed + reverse
Accessories included	Roll-bar - LED headlights
Weight	270 kg
Retail price	£ 7 100 . £ 8 591 00*



COD. 733140 € 211,75\*



## ZTR 50 L PRO

#### COD. 882490

Engine	Loncin LC2P77F - 708 cc
Power	16 kW (3600 g/m SAE)
Cylinders	2
Trasmission	Hydro
Blades engagement	Electromagnetic clutch
Cutting mode	Mulching kit - side discharge
Cutting width	1270 mm
Cutting height	7 positions
Speed	1 forward speed + reverse
Accessories included	Roll-bar - LED headlights
Weight	270 kg
Potail price	£ 6 600 - 7 996 00*



COD. 733140

€ 211,75\*



LARGE SURFACE MOWERS




## ZTR 60 K PRO



Engine	Kawasaki FX730V – 726cc/23.5hp
Trasmission	Hydro
Starting	Electric
Cutting mode	Mulching kit - side discharge
Cutting height	1.5" - 4.75" / 13 positions
Cutting diameter	60" / 1524mm
Blades	3
Forward speed	16 kmh
Reverse speed	9 kmh
Front wheels	13 - 6.50 x 6
Back wheels	23 – 10.5 x 12
Fuel tank	60L
Pack size	2088*1446/865 mm
Seat	Deluxe suspension with support
Net weight	463 kg
Retail price	€ 12.300 - 14.883,00*









## WHEELED BRUSHCUTTERS

- Wheeled brushcutters are machines particularly suitable for large surfaces, with very tall grass and in the presence of scrub.
- Designed for mowing inaccessible and hilly areas, they can be an effective alternative to straight shaft or backpack brushcutters.
- These machines offer a wide range of cutting applications that meet all user needs.
- The blade application ensures a cut with a high degree of shredding of the grass.





Blue Bird Industries offers models equipped with large wheels that make the machine extremely agile and easy to handle or models with small wheels and deep grooves that guarantee exceptional traction, even on particularlyuneven terrain and steep slopes.

- 01. Adjustable bars for comfort during use
- Accelerator lever that allows you to choose from the available Speeds
- **03.** New belt protection cover for greater strength and safety.
- **04.** Nylon line cutting tool for optimal shredding.
- 05. Wheels 16" for exceptional traction





## FLO 6 / FLO 7





	SPEED 6 LC COD. 882090	SPEED 6 HO COD. 885350	PRO SPEED 6 HO COD. 885330
Engine	Loncin - 4 stroke	Honda GCV 170 - 4 stroke	Honda GCVx200 - 4 stroke
Displacement	196 cc	166 cc	201 cc
Torque (Nm) Power (Kw)	12.4 Nm/2500 rpm	11.1 Nm/2500 rpm	12.7 Nm/2500 rpm
Cutting system	Nylon line (optional blade application)	Nylon line (optional blade application)	Nylon line (optional blade application)
Speeds	3 forward speeds	3 forward speeds	3 forward speeds
Wheels	Alloy	Alloy	Alloy
Retail price	€ 1.320 - € 1.597,20*	€ 1.410 - € 1.706,10*	€ 1.475 - € 1.784,75*

	SPEED 7 LC COD. 882510	SPEED 7 HO COD. 882540	PRO SPEED 7 HO COD. 882550
Engine	Loncin - 4 stroke	Honda GCV 170 - 4 stroke	Honda GCVx200 - 4 stroke
Displacement	196 cc	166 cc	201 cc
Torque (Nm) Power (Kw)	12.4 Nm/2500 rpm	11.1 Nm/2500 rpm	12.7 Nm/2500 rpm
Cutting system	Nylon line (optional blade application)	Nylon line (optional blade application)	Nylon line (optional blade application)
Speeds	3 forward speeds	3 forward speeds	3 forward speeds
Wheels	Alloy	Alloy	Alloy
Retail price	€ 1.410 - € 1706,10*	€ 1.495 - € 1.808,95*	€ 1.565 - € 1.893,65*











	DOMINO TS LC COD. 882290	DOMINO TS PRO/LC COD. 882300	DOMINO TS PRO/H COD. 885290
Engine	Loncin - 4 stroke	Loncin - 4 stroke	Honda GCVx200 - 4 stroke
Displacement	196 cc	196 cc	201 cc
Torque (Nm) Power (Kw)	12.4 Nm/2500 rpm	12.4 Nm/2500 rpm	12.7 Nm/2500 rpm
Cutting system	Nylon line or blade (according to application)	Nylon line or blade (according to application)	Nylon line or blade (according to application)
Cutting width	Nylon line or blade (according to application)	Nylon line or blade (according to application)	Nylon line or blade (according to application)
Speeds	1 forward speed	3 forward speeds + reverse	3 forward speeds + reverse
Blade cluch brake	yes	yes	Yes + wheels brake
Wheels	Pneumatic	Pneumatic	Pneumatic
Weight	63.9 kg	64.5 kg	65.4 kg
Retail price	€ 1.600 - € 1.936,00*	€ 1.665 - 2.014,65*	€ 1.885 - € 2.280,85*





## ALHAMBRATS / ALHAMBRATS PRO



	ALHAMBRA TS LC COD. 882310	ALHAMBRA TS 170 HO COD. 881770
Engine	Loncin - 4 stroke	Honda GCV170 - 4 stroke
Displacement	196 cc	166 cc
Torque (Nm) Power (Kw)	12.4 Nm/2500 rpm	11.1 Nm/2500 rpm
Cutting system	With retractable blades	With retractable blades
Cutting width	60 mm	60 mm
Speeds	1 forward speed	1 forward speed
Blade cluch brake	yes	yes
Wheels	Full	Full
Weight	73.5 kg	74.1 kg
Retail price	€ 1.675 - € 2.026,75*	€ 1.765 - € 2.135,65*


	ALHAMBRA TS PRO LC COD. 882320	ALHAMBRA TS PRO 170 HO COD. 887470
Engine	Loncin - 4 stroke	Honda GCV170 - 4 stroke
Displacement	196 cc	166 cc
Torque (Nm) Power (Kw)	12.4 Nm/2500 rpm	11.1 Nm/2500 rpm
Cutting system	With retractable blades	With retractable blades
Cutting width	60 mm	60 mm
Speeds	3 forward speeds + reverse	3 forward speeds + reverse
Blade cluch brake	yes	yes
Wheels	Full	Full
Weight	74.6 kg	77.6 kg
Retail price	€ 1.775 - € 2.147,75	€ 1.955 - € 2.365,55





## REMOTE CONTROL

- The range is suitable for demanding mowing and removal of tall and consistent herbs, cleaning in the undergrowth or near ditches.
- Featuring excellent maneuverability and improved climbing ability on sloping terrain thanks to revolutionary design.
- Grass, brushwood and brambles are easily ground.
- All functions of the machine can be set by means of a radio remote control from a distance up to 200 mt.



FM 23 - 53

#### Cod. 887810

Maximum voltage 28 V
Power 600 W
Engine Loncin 224 cc
Blades size 21 Inchm 53 cm
Speeds 3
Rem contr band 2,4 g
Max comm distance ~200 m
Net weight 126 kg



05. STOP switch

- 01. LED headlights: for better visibility during use.
- **02. Retractable blades:** longer life even in presence of woody shrubs or stones.
- 03. Tracks: suitable for the most difficult or slippery ground
- **04.** Cutting height: Remotely adjustable from 3 to 6 cm
- **05. STOP switch:** for emergency stop

Retail price


€ 4.700 - € 5.687,00

REMOTE CONTROL



## FM 23-70





- Or 100% electric, battery drive 50 Ah or 100 Ah
- · Standard radio remote control

# Unstoppable Power

#### FM23-70H

Maximum voltage	28 V	
Power	<b>8</b> 00 W	
Engine	Loncin <b>452</b> cc	
Blades size	<b>30</b> inch ( <b>750</b> mm)	
Speed	47 m/min	
Remote control band	2.4 g	
Max communication distance	About 200 m	
Net weight	<b>230</b> kg	
Retail price		
FM23-70H Renzine 13 5nk		

FM23-70-50Ah 100% electric € 6.500 - € 7.865\* FM23-70-100Ah 100% electric € 7.950 - € 9.619\*









## **FLAIL MOWERS**

- The range is suitable for demanding operations of mowing and removal of tall and consistent grasses, cleaning in the undergrowth or near ditches.
- Excellent maneuverability and better climbing ability on slopes thanks to the revolutionary design.
- Self-propelled machines with different cutting heights, in order to satisfy the most demanding users.
- Grass, brushwood and brambles areground simply.





- 01. Engine: Loncin 4 stroke with oil bath air filter
- 02. Cutting width: 86 cm for increased productivity
- 03. Cutting height: Adjustable millimetrically

- 04. Tracks: wide footprint for better grip in trend
- 05. Handlebar: adjustable for better ergonomics

## FM 600

**FLAIL MOWERS** 

#### COD. 883190

Engine	Loncin - 4 stroke - 252 cc
Torque	15 Nm / 2800 rpm
Power	5.2 kW / 3600 rpm
Cutting width	60 cm
Number of knives	32
Trasmission	3 forward speeds - 1 reverse
Turning radius	less than 1.2 mt
Dimensions	180 x 73 x 115
Weight**	145 kg
Retail price	€ 2.700 - 3.267,00*



## FM 750

#### COD. 883200

Engine	Loncin - 4 stroke - 420 cc
Power	9.2 kW / 3600 rpm
Cutting width	75 cm
Number of knives	40
Trasmission	3 forward speeds - 1 reverse
Turning radius	less than 1.2 mt
Dimensions	187 x 89 x 130
Weight**	178 kg
Retail price	€ 3.500 - € 4.235,00*



## FM 860

Engine	Loncin - 4 stroke - 420 cc
Power	13 HP
Cutting width	86 cm
Number of knives	48
Cutting height	20-150 mm
Trasmission	3 forward speeds - 1 reverse
Efficiency	2500m² per hour
Turning radius	less than 1.2 mt
Weight**	285 kg
Retail price	€ 4.860 - € 5.880,60*





## **EVEN THE ENVIRONMENT THANKS**

A well-maintained wood, besides being pleasant to look at, is a safeguard for the environment. Both tree cutting and limbing are done in order to preserve the wood and obtain useful timber for multiple purposes.

Blue Bird products enable operators to apply the best technique and achieve excellent results by controlling power and cutting. Relying on the right tools means finding the perfect allies for your work. Blue Bird chainsaws, pruners, log splitters are extremely handy, sturdy and safe.

Thanks to portable winches, you can clear the ground of logs either by towing or moving thanks to the quick hitch.





## **HIGHER QUALITY**

For forestry work, Blue Bird offers a special line of machinery to be able to intervene quickly and decisively in felling, limbing and handling of branches and logs to be hauled or moved. Products listed in the wood category are designed to act safely, in often inaccessible places, with maximum efficiency.

When goals are high



Winches	PAG 98
Log Splitters	PAG 100
Shredders	PAG 104
Wood Chippers	PAG 106
Saw Benches	PAG 110

Chainsaws / Pruner

**PAG 90** 



## CHAINSAWS / PRUNER

- Ideal range for each specific skill: from felling, to pruning, to limbing.
- Compact cutting tools designed to be reliable, easy to use and efficient.
- The available models range from 25 to 54 cc displacement, with bars from 25 to 50 cm.





- 01. 10" 3/8 bar for greater precision.
- **02.** Double-ended brake to ensure safety during use.
- **03.** "Always on" button to assist the user in the ignition phase.
- **04. Internal clutch** which guarantees greater engine strength.
- **05. Steel anti-vibration** mounts that reduce vibrations and noise.
- 06. 3/8 mini chain.







## CSE 2000

## 0



Power	2000 W
Bar length and chain	16" (40 cm) OREGON
Chain lubrification	Automatic
Chain adjustment	tool-less
Retail price	€ 120 - € 145,20*



### CS 250

#### COD. 880550

Displacement	25.4 cc
Power	0.7 kW
Bar length	standard 10" (25 cm)
Chain brake	yes
Chain lubrication	Automatic
Handle	Anti-vibration
Chain code	SE3L-40DL
Bar code	S10E3PP40
Weight*	3.2 kg
Retail price	€ 145 - 175,45*



\* Weight without mixture, bar and chain

## CS 250 C

#### COD. 881280

Displacement	25.4 cc
Power	0.7 kW
Bar length	carving 10" (25 cm)
Chain brake	yes
Chain lubrication	Automatic
Handle	Anti-vibration
Chain code	S25-60DL
Bar code	CSP280TC-BAR
Weight*	3.2 kg
Retail price	€ 170 - € 205,70*



 $^{\star}$  Weight without mixture, bar and chain



## CS 390

#### COD. 883690

Displacement	37.2 cc
Carburator	Walbro
Power	1.2 kW
Bar length and chain	16" (40 cm)
Chain brake	yes
Chain lubrication	Automatic
Handle	Anti-vibration
Chain code	SE3L-57DL
Bar code	S16E3PP57
Weight*	4.6 kg
Retail price	€ 170 - € 205,70*



\* Weight without mixture, bar and chain

## **CS 460**

#### COD. 883700

Displacement	45.2 cc
Carburator	Walbro
Power	1.5 kW
Bar length and chain	18" (45 cm)
Chain brake	yes
Chain lubrication	Automatic
Handle	Anti-vibration
Chain code	SG5-72DL
Bar code	S18G5SE72
Weight*	5.4 kg
Retail price	€ 180 - 217,80



\* Weight without mixture, bar and chain

## CS 590

#### COD. 883710

	COD. 003/10
Displacement	54 cc
Carburator	Hualong
Power	2.2 kW
Bar length and chain	20" (50 cm)
Chain brake	yes
Chain lubrication	Automatic
Handle	Anti-vibration
Chain code	SG5-78DL
Bar code	CSP550-186
Weight*	5.4 kg
Retail price	€ 190 - € 229,90*



\* Weight without mixture, bar and chain

## CSP 270 T / CSP 270 TC

**BLUEBIRD** INDUSTRIES

	COD. 884400	COD. 884440
Displacement	25 cc	25 cc
Power	0.9 kW	0.9 kW
Bar length	10" (25 cm)	10" (25 cm)
Chain type	3/8 LP - 1.3 mm	1/4 LP - 1.3 mm
Carburator	Walbro	Walbro
Carburetor primer	yes	yes
Side chain tensioner	yes	yes
Tank capacity mix	170 ml	170 ml
Chain oil tank capacity	140 ml	140 ml
Chain code	SE3L-40DL	CSP270TC-CHAIN
Bar code	S10E3PP40	CSP270TC-BAR
Weight*	2.45 kg	2.45 kg
Retail price	€ 225 - € 272,25	€ 245 - € 296,45*



\* Weight without mixture, bar and chain

## CSP 280 T / CSP 280 TC

	COD. 884000	COD. 884010
Displacement	28.5 cc	28.5 cc
Power	1 kW	1 kW
Bar length	10" (25 cm)	10" (25 cm) carving
Chain type	3/8 mini 1.3 mm	1/4 1.3 mm
Chain lubrification	Automatic	Automatic
Carburator	Walbro	Walbro
Carter	metal	metal
Chain code	SE3L-40DL	S25-60DL
Bar code	S10E3PP40	CSP280TC-BAR
Weight	3.25 kg	3.25 kg
Retail price	€ 230 - € 278,30*	€ 250 - € 302,50*



\* Weight without mixture, bar and chain

## **CSP 410**

	000.004000
Displacement	41.4 cc
Power	1.85 kW
Bar length	16" (40 cm)
Chain type	3/8 1.3 mm
Chain lubrification	Adjustable
Carburator	Walbro
Carter	metal
Chain code	SG3-66DL
Bar code	S16G3SE66
Weight	5.2 kg
Retail price	€ 270 - € 326,70*





## CSP 500

#### COD. 884050

Displacement	50 cc
Power	2.2 kW
Bar length	18" (45 cm)
Chain type	0,325 1.5 mm
Chain lubrication	Adjustable
Carburatore	Walbro
Carter	metal
Chain code	SG5-72DL
Bar code	S18G5SE72
Weight	5.7 kg
Retail price	€ 290 - € 350,90*



## **CSP 550**

#### COD. 884060

Displacement	55 cc
Power	2.4 kW
Bar length	20" (50 cm)
Chain type	0,325 1.5 mm
Chain lubrication	Adjustable
Carburatore	Walbro
Carter	metal
Chain code	SG5-78DL
Bar code	CSP550-186
Weight	5.7 kg
Retail price	€ 300 - € 363,00*



## PTT 261

Engine	2 tempi - 25.4 cc
Bar	3/8 LP 1.3 cm
Bar length pruner	34.2 cm
Shaft length	4.1 mt
Weight	9.1 kg
Retail price	€ 370 - € 447,70*









## **CHAINSAWS ACCESSORIES**

#### **CHAINS / 100 FT ROLL**



1/4" mini semi-chisel -1,1 mm 0,43"	S2325	€ 135,52*
1/4" - 1,3 mm - 0,50	S25100	€ 544,50*
3/8" anti-bounce 1,1 mm - 0,43	SE1S100	€ 314,90
3/8" anti-bounce 1,3 mm - 0,50	SE3S100	€ 314,90*
3/8" 1,3 mm - 0,50	SE3L100	€ 344,85*
325" semi-chisel - 1,1 mm - 0,43	SG125	€ 147,62*
325" 1,3 mm - 0,50	SG3100	€ 363,00*
325" 1,5 mm - 0,58	SG5100	€ 363,00*
325" 1,6 mm - 0,63	SG6100	€ 363,00*
325" 1,3 mm - 0,50	SG3C100	€ 397,73*
325" 1,5 mm - 0,58	SG5C100	€ 397,73*
325" 1,6 mm - 0,63	SG6C100	€ 397,73*
3/8" 1,3 mm - 0,50	SD3100	€ 372,92*
3/8" 1,5 mm - 0,58	SD5100	€ 363,00*
3/8" 1,6 mm - 0,63	SD6100	€ 363,00*
3/8" 1,3 mm - 0,50	SD3C100	€ 399,66*
3/8" 1,5 mm - 0,58	SD5C100	€ 399,66*
3/8" 1,6 mm - 0,63	SD6C100	€ 399,66*
404" 1,6 mm - 0,63	SF6100	€ 410,55*

#### **CONFEZIONATE**

1/4" 1,1 mm - 56M	S23-56DL	€ 20,81*
1/4" 1,3 mm - 0,50 - 52 M	S25-52DL	€ 19,72*
1/4" 1,3 mm - 0,50 - 60 M	S25-60DL	€ 22,63*
1/4" 1,3 mm - 0,50 - 76 M	S25-76DL	€ 28,44*
1/4" 1,3 mm - 0,50 - 84 M	S25-84DL	€ 31,34*
3/8" mini LP 1,3 mm - 0,50 - 40 M	SE3L-40DL	€ 12,95*
3/8" mini LP 1,3 mm - 0,50 - 45 M	SE3L-45DL	€ 14,40*
3/8" mini LP 1,3 mm - 0,50 - 47 M	SE3L-47DL	€ 14,76*
3/8" mini LP 1,3 mm - 0,50 - 50 M	SE3L-50DL	€ 15,85*
3/8" mini LP 1,3 mm - 0,50 - 52 M	SE3L-52DL	€ 16,58*

3/8" mini LP 1,3 mm - 0,50 - 53 M	SE3L-53DL	€ 16,58*
3/8" mini LP 1,3 mm - 0,50 - 55 M	SE3L-55DL	€ 17,30*
3/8" mini LP 1,3 mm - 0,50 - 56 M	SE3L-56DL	€ 17,67*
3/8" mini LP 1,3 mm - 0,50 - 57 M	SE3L-57DL	€ 18,03*
3/8" mini LP 1,1 mm - 0,43 - 39 M	SE1S-39DL	€ 12,58*
3/8" mini LP 1,1 mm - 0,43 - 50 M	SE1S-50DL	€ 15,85*
3/8" mini LP 1,3 mm - 0,50 - 40 M	SE3S-40DL	€ 12,58*
3/8" mini LP 1,3 mm - 0,50 - 45 M	SE1S-45DL	€ 14,04*
3/8" mini LP 1,3 mm - 0,50 - 52 M	SE3S-52DL	€ 16,21*
3/8" mini LP 1,3 mm - 0,50 - 57 M	SE3S-57DL	€ 18,03*
3/8" 1,5 mm - 0,58 - 68 M	SD5-68DL	€ 24,44*
3/8" 1,5 mm - 0,58 - 72 M	SD5-72DL	€ 25,89*
3/8" 1,6 mm - 0,63 - 66 M	SD6-66DL	€ 23,72*
3/8" 1,6 mm - 0,63 - 72 M	SD6-72DL	€ 25,89*
3/8" 1,5 mm - 0,58 - 68 M	SD5C-68DL	€ 26,62*
3/8" 1,5 mm - 0,58 - 72 M	SD5C-72DL	€ 28,07*
225   1 2 0 50 64 M	000 0401	£ 20. 4F*
325" 1,3 mm - 0,50 - 64 M	SG3-64DL	€ 20,45*
325" 1,3 mm - 0,50 - 66 M	SG3-66DL	€ 21,18*
325" 1,3 mm - 0,50 - 72 M	SG3-72DL	€ 22,99*
325" 1,5 mm - 0,58 - 64 M	SG5-64DL	€ 21,18*
325" 1,5 mm - 0,58 - 66 M	SG5-66DL	€ 21,90*
325" 1,5 mm - 0,58 - 68 M	SG5-68DL	€ 22,99*
325" 1,5 mm - 0,58 - 72 M	SG5-72DL	€ 24,08*
325" 1,6 mm - 0,63 - 62 M	SG6-62DL	€ 20,08*
325" 1,6 mm - 0,63 - 67 M	SG6-67DL	€ 21,54*
325" 1,6 mm - 0,63 - 68 M	SG6-68DL	€ 21,90*
325" 1,6 mm - 0,63 - 74 M	SG6-74DL	€ 23,72*
325" 1,3 mm - 0,50 - 72 M	SG3C-72DL	€ 25,17*
325" 1,5 mm - 0,58 - 78 M	SG5-78DL	€ 27,35*

### **ECOLOGIC CHAIN PROTECTIVE OIL**

### PROTECTION GOGGLES

### **EAR PROTECTORS**







5 It bottle COD. 210120 € 29,04\*

COD. 21023 € 9,68\*

Extra-light 140 gr

COD. 122505 € 12,10\*



## **CHAINSAWS ACCESSORIES**

## BARS



25 cm 10" 40 drive links 3/8"LP 1.1mm	S10E3MP40	€ 19,00*
25 cm 10" 40 drive links 3/8"LP 1.3mm	S10E3PP40	€ 19,00*
30 cm 12" 45 drive links 3/8"LP 1.3mm	S12E3PP45	€ 19,00*
35 cm 14" 52 drive links 3/8"LP 1.3mm	S14E3PP52	€ 21,18*
35 cm 14" 50 drive links 3/8"LP 1.3mm	S14E3PT50	€ 21,18*
40 cm 16" 57 drive links 3/8"LP 1.3mm	S16E3PP57	€ 23,35*
40 cm 16" 55 drive links 3/8"LP 1.3mm	S16E3PT55	€ 23,35*
38 cm 15" 64 drive links 325" 1.3mm	S15G3SU64	€ 31,94*
40 cm 16" 66 drive links 325" 1.3mm	S16G3SE66	€ 31,94*
45 cm 18" 72 drive links 325" 1.3mm	S18G3SU72	€ 36,30*
38 cm 15" 64 drive links 325" 1.5mm	S15G5SU64	€ 31,94*
40 cm 16" 66 drive links 325" 1.5mm	S16G5SU66	€ 36,30*
40 cm 16" 66 drive links 325" 1.5mm	S16G5SE66	€ 29,30*
45 cm 18" 72 drive links 325" 1.5mm	S18G5SE72	€ 36,30*
45 cm 18" 72 drive links 325" 1.5mm	S18G5SU72	€ 36,30*
40 cm 16" 66 drive links 325" 1.6mm	S16G6SS67	€ 31,94*
45 cm 18" 74 drive links 325" 1.6mm	S18G6SS74	€ 36,30*
38 cm 15" 56 drive links 3/8" 1.5mm	S15D5SH56	€ 31,94*
40 cm 16" 60 drive links 3/8" 1.5mm	S16D5SH60	€ 31,94*
43 cm 17" 64 drive links 3/8" 1.5mm	S17D5SH64	€ 36,30*
45 cm 18" 68 drive links 3/8" 1.5mm	S18D5SH68	€ 36,30*
50 cm 20" 72 drive links 3/8" 1.5mm	S20D5SH72	€ 40,29*
40 cm 16" 60 drive links 3/8" 1.6mm	S16D6SS60	€ 31,94*
45 cm 18" 66 drive links 3/8" 1.6mm	S18D6SS66	€ 36,30*
50 cm 20" 72 drive links 3/8" 1.6mm	S20D6SS72	€ 40,29*

#### **ROUND FILES**

Round files 4,8 mm (3/16 inch)	L3	€ 44,53*
Round files 4 mm (5/32 inch)	L5	€ 44,53*
Round files 5,5 mm (7/32 inch)	L7	€ 44,53*
Round files 3,3 mm (1/8 inch)	L18	€ 44,53*



### **MULTI TANK**




Versatile tank 5 Lt mixture and 3 Lt oil, spouts with automatic stop and anti-splash included.

€ 43,20



## **WINCHES**

- Allows you to pull or tow heavy loads thanks to the winding of a rope.
- The ropes used can be made of polyester, steel or kevlar.
- Compact professional tools suitable for the most complex forestry work.





- **01. Inspection window** to be able to check the correct winding of the rope.
- 02. Turning hook for greater versatility.
- **03. Rope guide** to carry out the rope winding operation automatically.
- **04. Quick coupling** to unlock and lock the cable drum in order to unwind it more quickly.
- **05. Anti-vibration handle** for greater ergonomics.





	COD. 887450	COD. 883500
Engine	ST POWER 2-stroke *	Honda 4 stroke
Displacement	57.9 cc	47.9 cc
Power	2.8 kW/7500 rpm	1.47 kW/7000 rpm
Suggested rope	Polyester Ø 10 mm <b>not included</b>	Polyester Ø 10 mm not included
Rope winding speed	25 metres/min.	25 metres/min.
Direct pulling	600 kg	400 kg
Weight	10.5 kg	9.9 kg
Retail price	€ 825 - € 998,25*	€ 850 - € 1.028,50*



\* 2% mixture with synthetic oil

## FW 1610 ST / FW 1610 STK

	COD. 887460	COD. 887580
Engine	ST POWER 2 tempi *	ST POWER 2 tempi *
Displacement	57.9 cc	57.9 cc
Power	2.8 kW/7500 rpm	2.8 kW/7500 rpm
Drum capacity	80 metres. Ø 5 mm steel cable Included	80 metres. Ø 5 mm Kevlar rope Included
Rope winding speed	25 metres/min.	25 metres/min.
Direct pulling	1300 kg	1300 kg
Pulling with support pulley	2600 kg	2600 kg
Rope guide	yes	yes
Automatic brake	yes	yes
Weight	35 kg including cable	28 kg including cable
Retail price	€ 1.900 - € 2.299,00*	€ 2.095 - € 2.534,95*



\* 2% mixture with synthetic oil

## **ACCESSORIES FOR WINCHES**

Backpack for TW 610 ST winch	COD. 731080	€ 157,30*
Polyester rope Ø 10 mm x 50 mt	COD. 630230	€ 133,10*
Polyester rope Ø 10 mm x 100 mt	COD. 630330	€ 260,15*
Steel cable for FW 1610 ST winch	COD. 630280	€ 193,60*
Dyneema-kevlar rope Ø 5mm x 80 mt	COD. 630340	€ 459,80*
1300 kg pulley	COD. 392550	€ 151,25*
Anchoring belt 1 mt - 2000 kg	COD. 630290	€ 18,15*
Anchoring belt 2 mt - 2000 kg	COD. 630300	€ 22,99*
2 tons cricket	COD. 392520	€ 10,89*




**BACKPACK FOR WINCH** 






## **LOG SPLITTERS**

- The range features models with both horizontal and vertical splitting, some equipped with an electric motor, others with a petrol engine.
- They allow you to effectively split logs effortlessly.
- The horizontal log splitters are equipped with a grid guard plate for total user safety.
- The vertical log splitters are equipped with a wheel kit and a sturdy and safe handle for moving on the ground.









#### COD. 883290

Engine	single phase 2200W / 230V
Splitting length	520 mm
Splitting diameter	250 mm
Splitting force	5 ton
Weight	50 kg
Retail price	€ 459,80*



## **LSHE 7000**



LSHE 7000

COD. 754820 € 54,45\*

## Comfortable log splitting

- Engine single phase 2300W / 230V
- Cutting modes: horizontal
- Splitting force: 7 ton

Engine	single phase 2300W / 230V
Splitting length	520 mm
Splitting diameter	250 mm
Splitting force	7 ton
Weight	59 kg
Retail price	€ 410 - € 496,10*





## LSE 7000 / LSE 8000

• Engine single phase 3000W / 230V

• Cutting modes: vertical

• Splitting force: 7/8 ton

	COD. 883300	COD. 883310
Engine	single phase 3000W S6 / 230V	single phase 3000W S6 / 230V
Splitting length	550 mm	550 mm
Splitting diameter	300 mm	300 mm
Splitting force	7 ton	8 ton
Weight	98.2 kg	110 kg
Retail price	€ 680 - € 822,80*	€ 760 - € 919,60



## **LSE 11000**

## For tough timber

Engine	single phase 3000W / 230V
Splitting length	1040 mm
Splitting diameter	300 mm
Splitting force	11 ton
Weight	174 kg
Retail price	€ 1.170 - € 1.415,70*







## LSL 16000 / LSL 22000





## LS PTO 30000

Engine	PTO – tractor mounted
Splitting length	1100 mm
Splitting diameter	400 mm
Splitting force	30 ton
Weight	346 kg
Retail price	€ 3.190 - € 3.859,90






## **SHREDDERS**

- Keeping the green space clean and tidy is simple and immediate thanks to garden shredders.
- Compact structure ideal for disposing of pruning residues from trees, bushes, hedges and brambles.
- Reduce twigs and scrub so they are suitable for composting.
- They crush the material in a small space, also reducing the time required for decomposition.
- Perfect for producing humus to keep your soil and plants healthy.





02. Deflector for adjustable discharge.

**03.** Pneumatic wheels for simpler transport.



SHREDDERS



## SHL 700

- Loncin engine with 196 cc displacement
- Double knife disc 2600 rpm
- · Travel wheels included

#### COD. 886020

Engine	Loncin 6.5 Hp
Displacement	196 cc
Max cutting branch Ø	7 cm
Rotor diameter	400 x 10 mm
2 cutters size	110 x 42 x 9 mm
Rotation speed	2600 al/min
Loading hole size	530 x 350 mm
Output hole size	150 x 150 mm
Vibration level	5.52 m/s
Travel wheels	n 2
Weight	90 kg
Retail price	€ 1.020 - € 1.234,20*



## SH 2500

- Electric motor with 2500W power
- Drum cutting system for better shredding
- Basket for collecting the shredded material
- Trolley with wheels for easy movement

Engine	Electric 2500W - 230V - 50Hz
Cutting system	Drum
Max cutting branch Ø	4 cm
Collecting basket	included
Reverse speed	included
Trolley with wheels	included
Blade regulation	included
Weight	40 kg
Retail price	€ 380 - € 459,80*





## **WOOD CHIPPERS**

- Designed for grinding branches, logs and other biodegradable waste from the ground.
- Ideal for all those who need to do green maintenance and who need to grind quickly after pruning.
- Crushing the material reduces the time required for decomposition.
- Excellent for fast and professional green maintenance.





- **01. Shredding drum:** composed of two 233 mm blades, it allows the shredding of large diameters.
- **O2.** The large loading hopper allows the insertion of the product to be processed with extreme ease.
- **03.** The output of the processed product can be directed in different directions.







## 1000

#### COD. 884540

Engine	Loncin V200F
Power	6.5 hP – 3600 rpm
Fuel	Gasoline
Starting	Rope
Cutting system	Drum (2 Blade 233 mm)
Branches max diam	100 mm
Length	1760 mm
Width	513 mm
Heigth	1105 mm
Wheels size	4.10-3.50-4
Weight	108 kg
Retail price	€ 1.100 - € 1.331,00*



## SHL 1200

Engine

#### COD. 884520 Loncin G420F

Power	9 kW – 3600 rpm
Fuel	Gasoline
Starting	Electric
Cutting system	Drum (2 Blade 233 mm)
Branches max diam	120 mm
Length	2560 mm
Width	890 mm
Heigth	1480 mm
Wheels size	16x8.0-7
Weight	200 kg
Retail price	€ 2.050 - 2.480,50*





#### 884530

Engine	Loncin G420F Loncin V200		
Power	15 hP - 3600 rpm	6.5 hP	
Fuel	Gasoline	Gasoline	
Starting	Electric Rope		
Cutting system	Drum (2 Blade 233 mm)		
Branches max diam	120 mm		
Length	2560 mm		
Width	890 mm		
Heigth	1480 mm		
Misure Wheels	16x8.0-7		
Weight	200 kg	140 kg	
Retail price	€ 3.900 - € 4.719,00*		





#### **CARRIER BOX**

COD. D30MB-47

Engine

€ 423,50\*



#### COD. 888390 Loncin G420FD

Power	15 hP - 3600 rpm	
Fuel	Gasoline	
Starting	Electric	
Cutting system	Drum (2 Blade 233 mm)	
Branches max diam	150 mm	Loncon
Misure Wheels	17x7.0-8	
Weight	255 kg	
Retail price	€ 2.400 - € 2.904,00*	TOO WILLIAM





# **SAW BENCHES**

- These machines are designed to deliver reliable performance and precise cuts in a variety of materials, ensuring a clean and consistent cut.
- Items that can handle demanding workloads without sacrificing cut quality ensuring fast and efficient material processing.
- IP54 degree of protection against dust and liquids ensures that the machine is resistant even in the most difficult conditions.
- Compact products ideal for use in small areas or on construction sites





01. Engine:powerful with 3200 watts

02. Transfer wheels: that allow easy transport

03. Protection: for more safety



# SAW BENCH 140 MM



	00D. 000-100
Engine	230V, 50Hz
Cutting blades	ø405xø30 mm
Cutting size	140 mm
Power	2200W
Protection rate	dust, liquids IP54
Blade rotations	2800/min
Weight	36.3 kg
Retail price	€ 320 - € 387,20



# **SAW BENCH 170 MM**

### COD. 888410

Engine	230V, 50Hz
Cutting blades	ø505xø30 mm
Cutting size	170 mm
Power	3000W
Protection rate	dust, liquids IP54
Blade rotations	2800/min
Weight	56.3 kg
Retail price	€ 530 - € 641,30*



# **SAW BENCH 250 MM**

Engine	230V, 50Hz
Cutting blades	ø700xø30 mm
Cutting size	250 mm
Power	3200W
Protection rate	dust, liquids IP54
Blade rotations	1400/min
Weight	93 kg
Retail price	€ 830 - € 1.004,30





# WHEN CARGO IS VALUABLE

Working in orchards, olive groves and vineyards requires continuous dedication and a range of specific equipment to take care of the plants efficiently and in short time. A very important machine for this activity is the crawler carrier, the flagship product of the Blue Bird agriculture line. Because of its size and manoeuvrability, it is the perfect tool for working on terracing, on steep slopes and with limited manoeuvring space.

The Blue Bird line for farming is especially aimed at all those who care for fruit trees, olive groves and vineyards.

All Blue Bird products are designed to make the work of caring, cutting and transportation easier while protecting the natural environment. They are made to last while always bearing excellent fruit.





# **ALL-ROUND**

Blue Bird's line dedicated to agriculture includes all those essential products for managing fruit trees: from harvesters to Olive shakers, from pruning shears to tying machines. And once the load is complete, Blue Bird Crawler carriers take care of moving loads wherever you want them, even on steep slopes.

ways bearing excellent fruit

# **FARMING**

Olive Harvesters PAG 114

Olive Shakers PAG 116


Carriers PAG 118



# OLIVE HARVESTERS

- The range includes both battery and electric models for professional use.
- Light and fast tools for olives harvesting, with high frequency lateral movement.
- Opposed motion system of the combs.
- The models with telescopic shaft reach 3 meters length.





- **01.** Support: 10' inclined.
- **02. Carbon shaft:** which guarantees extreme lightness
- **03.** Engine: with power of 750W

- **04. Ergonomic handle:** for excellent comfort during use
- **05. Intuitive display:** with usage information available





**BLUEBIRD** INDUSTRIES



### COD. 888060

Retail price	€ 340 - € 411,40
Weight (battery excluded)	2.3 kg
Control panel	Display OLED
Sticks	4+4
Shaft lenght	2400 mm
Shaft material	Carbon/Aluminium
Shaft	Fixed
Working width	500 mm
Cable length	12 m
Speed adjustment	2 modes
Power	750 W
Working voltage	12 V



The EGEO 22-50 model is supplied without battery and charger.



# **EGEO 22-50 AT**



BATTERY PRO 12 V


# COD. 888360

Retail price	€ 365 - € 441,65*
Weight (battery excluded)	2.6 kg
Control panel	Display OLED
Sticks	4+4
Length min/max	2.200-3.100 mm
Shaft material	Carbon
Shaft	Telescopic
Working width	500 mm
Cable length	12 m
Speed adjustment	2 modes
Power	750 W
Working voltage	12 V



The EGEO 22-50 AT model is supplied without battery and charger.










# OS 610 TV-TVT-TVTS





	COD. 887530/887540/RO	COD. 887550/RO	COD. 887560/RO
Engine ST POWER	2-stroke*	2-stroke*	2-stroke*
Displacement	57.9 cc	57.9 cc	57.9 cc
Power	2.8 kW/7500 rpm	2.8 kW/7500 rpm	2.8 kW/7500 rpm
Tipo asta	Standard with vibrating head	Telescopic with vibrating head	Telescopic with vibrating head SUPER-SHAKE
Length asta	1800 mm / 2800 mm	1700 - 2500 mm	1700 - 2500 mm
Backpack	included	included	included
Handle	Anti-vibration	Anti-vibration	Anti-vibration
Weight**	13.1 kg / 13.3 kg	13.5 kg	13.7 kg
Retail price	€ 1.371,66* / € 1.434,58*	€ 1.875,02*	€ 2.114,11*







- **01. Accelerator lever**: the mechanical transmission is robust and resistant, with a gearbox with 3 forward and 1 reverse gears.
- **02. Extendable sides**: allow increasing in the load volume.
- **03. Tracks protection**: guarantees greater sturdiness even on difficult routes.
- **04. Dumper box overturning lever**: simple control that offers ease of unloading.





# <u>300 / 350</u>

	COD. 881910	COD. 886890
Engine	Loncin - 4 stroke	Honda GP160
Displacement	196 cc	163 cc
Power	6.5 Hp	4.8 Hp
Trasmission	3 forward speeds + reverse	3 forward speeds + reverse
Load capacity	300 kg	300 kg
Dumper box dimensions	910÷1040 x 600÷860	907÷1040 x 600÷860
Dumper box height	204 mm + sides	204 mm + sides
Dumper overturning	Manual with piston	Manual with piston
Track width	180 mm with track tension springs	180 mm with track tension springs
Weight	178 kg	178 kg
Snow blade	optional	optional
Retail price	€ 1.950 - 2.359,50	€ 2.170 - € 2.625,70*



# 500 / 500 H / 550

	COD. 883090	COD. 885160	COD. 886900
Engine	Loncin	Loncin	Honda GP200
Displacement	196 cc	196 cc	196 cc
Power	6.5 Hp	6.5 Hp	5.8 Hp
Trasmission	3 forward speeds + reverse	3 forward speeds + reverse	3 forward speeds + reverse
Load capacity	500 kg	500 kg	500 kg
Dumper box dimensions	1025÷1150 x 625÷885	1025÷1155 x 625÷885	1025÷1150 x 625÷885
Dumper box height	325 mm + sides	325 mm + sides	325 mm + sides
Dumper overturning	Manual with piston	Hydraulic	Manual with piston
Track width	180 mm with track tension springs	180 mm with track tension springs	180 mm with track tension springs
Weight	228 kg	256.5 kg	228 kg
Retail price	€ 2,230 - 2,698,30*	€2.950 - €3.569.5	0 € 2.600 - 3.146*



# 500 DH

	COD. 003100
Engine	Loncin - 4 stroke
Displacement	196 cc
Power	6.5 Hp
Trasmission	3 forward speeds + reverse
Load capacity	500 kg
Dumper box dimensions	950 x 680
Dumper box height	465 mm
Dumper overturning	Hydraulic
Track width	180 mm with track tension springs
Weight	256 kg
Retail price	€ 2.950 - € 3.569,50*





# 500 DLH

### COD. 884200

	COD. 004200
Engine	Loncin 270 cc
Power	9 Hp
Trasmission	Hydro
Load capacity	500 kg
Dumper box dimensions	1065 x 715 mm
Dumper box height	660 mm
Dumper overturning	Hydraulic
Track width	180 mm
Shovel lift	80 kg
Weight	360 kg
Retail price	€ 6.300 - € 7.623,00*



# 500 DSH

### COD. 884190

Retail price	€ 3.180 - 3.847,80*
Weight	250 kg
Track width	180 mm
Dumper overturning	Hydraulic
Dumper box height	465 mm
Dumper box dimensions	950 x 680
Load capacity	500 kg
Trasmission	6 forward - 2 reverse
Power	6.5 Hp
Engine	Loncin 196 cc



# WR 500 E



BATTERY 48 V



Retail price	€ 2.300 - € 2.783,00*
Weight	165 kg
Dumper overturning	Manual with piston
Box	Dumper
Max carrying weight	500 kg
Reverse	0-2.5km/h
Speed	High 0-5.0km/h, medium 0-4.2km/h, low 0-3.3km/h
Charging time	6-7 h
Working time	8-10 h
Headlight power	30W
Screen	Battery capacity + speed
Battery	48V 32Ah
Braking system	Electromagnetic brake
Engine Electric	1000W, 48V Engine Brushless









BATTERY 48 V





**Engine Electric** 1000W, 48V Engine Brushless Braking system Electromagnetic brake

Battery 48V 32Ah

Screen Battery capacity + speed

Headlight power 2 pieces 30W 8-10 h Working time 6-7 h Charging time 4.5 A Charging current

High 0-5.0km/h, medium Speed 0-4.2km/h, low 0-3.3km/h

Reverse 0-2.5km/h 500 kg Max carrying weight Box Dumper+ Elettro Hydraulic

**Dumper overturning** 180KG

Weight

Retail price € 2.700 - € 3.267,00\*



# **WB 500**



**BATTERY** 



### COD. 884570

1000W, 48V Engine Brushless Engine Electric Braking system Electromagnetic brake

Battery 48V 32Ah

Screen Battery capacity + speed

Headlight power 30W 8-10 h Working time Charging time 6-7 h Charging current 4.5 A

High 0-5.0km/h, medium Speed 0-4.2km/h, low 0-3.3km/h

Reverse 0-2.5km/h Max carrying weight 500 kg Box Standard box **Dumper overturning** Manual with piston

Weight 180KG

Retail price € 2.400 - € 2.904,00\*



# **CARRIERS ACCESSORIES**

Snow blade for CARRIER 300	COD. 754380	€ 302,50*
Snow blade for CARRIER 500	COD. 754740	€ 411,40*

Log carrier for CARRIER 300	COD. 16732	€ 272,25*
Log carrier for CARRIER 500	COD. 16752	€ 435,60*
Log carrier for CARRIER 500H	COD. 16753	€ 435,60*





# **EVEN FOR CONSTRUCTION INDUSTRY**

The Blue Bird soil line aims to offer the optimal solution for those involved in agricultural and forestry work but also in demolition, excavation, redevelopment and general construction. The line includes power augers, power drills, motor hoes, and mulchers ready to intervene even in inaccessible and difficult to reach places.

When work gets tough you need the right tools. With mulchers, the latest additions to the Blue Bird range, mowing operations where grass is tall and packed, where bushes or a thick undergrowth are present, are no longer a problem. The mulchers, manoeuvrable and powerful, like the entire Blue Bird soil line, offer power and solutions.





# THE BASIS OF ANY PROJECT

Preparing the soil well is the key step in ensuring excellent results. Blue Bird has designed a line of products specifically to support individuals and professionals to manage the soil but also to drill, demolish, remove. Working has never been easier.

A range that leaves its mark

Mini Excavator

**Motor Tillers** 

SOIL

Earth Augers	PAG 126
Motor Drills	PAG 130

**PAG 124** 


**PAG 132** 



# **MINI EXCAVATOR**

- Versatile machine for digging, lifting and moving materials in confined spaces or difficult to access. Widely used in construction, farming, landscaping and infrastructure maintenance.
- The mini excavator is versatile, suitable for digging foundations, trenches, drainage channels, leveling land, loading and unloading materials on vehicles and much more.
- The control station of the mini excavator has intuitive controls, safety devices such as anti-tipping systems and parking brake with Hydraulic lock for greater safety during parking and stopping.





- 02. Engine: powerful 306 cc engine
- **03. Speed and power:** with a running speed of 2,1 km/h and a traction force of 4,36 kN
- **04. Rubber trucks:** width of 150 mm that give stability and mobility
- **05. Control station:** with intuitive and accessible controls
- **06. Weight:** operating weight of 562 kg, can handle a wide range of tasks





# NEW

• The powerful 306 cc engine at gasoline provides the power needed for excavation activities. Starting is via key, offering an easy start and shut down of the Engine. In addition, there is also a Starting RECOIL

system to ensure greater reliability.

- · Hydraulic brake
- The bucket width is 290 mm with a capacity of 0.011

### CUD 888140

EngineGasoline - 306 ccPower6.3 kWBucket capacity0.011 m³Bucket width290 mmDigging force (arm)4.75 kN (485 kgf)Digging force (bucket)8 kN (815 kgf)Digging depth1.2 mtStartingkey, ignition and switching off + RECOILForward speed2.1 km/hTraction power4.36 kNSwing speed7.5 rpmSlope25°Contact pressure with soil26.3 kPa (0.27 kgf/cm²)Arm swingswing SX 70° / DX 70°Movement modeRubber trackTrack width150 mmPump capacity2 x 9 L/minFuel tank9 LBrakeHydraulicOperating weight562 kgRetail price€ 6.990 - € 8.457,90*		CUD. 888140
Bucket capacity  Bucket width  290 mm  Digging force (arm)  Digging force (bucket)  Digging depth  Starting  Forward speed  Traction power  Swing speed  Contact pressure with soil  Arm swing  Movement mode  Track width  Pump capacity  Fuel tank  Brake  Digging force (bucket)  8 kN (815 kgf)  2.1 km/h  1.2 mt  key, ignition and switching off + RECOIL  2.1 km/h  4.36 kN  7.5 rpm  26.3 kPa (0.27 kgf/cm²)  8 wing SX 70° / DX 70°  Rubber track  150 mm  2 x 9 L/min  Fuel tank  9 L  Brake  Hydraulic  Operating weight	Engine	Gasoline - 306 cc
Bucket width Digging force (arm) A.75 kN (485 kgf) Digging force (bucket) Bigging depth A.8 kN (815 kgf) A.9 key, ignition and switching off + RECOIL A.9 key, ignition and switching off + RECOIL A.9 key, ignition A.9 key, igniti	Power	6.3 kW
Digging force (arm)  Digging force (bucket)  Digging depth  1.2 mt  Starting  key, ignition and switching off + RECOIL  Forward speed  2.1 km/h  Traction power  4.36 kN  Swing speed  7.5 rpm  Slope  25°  Contact pressure with soil  Arm swing  Swing SX 70° / DX 70°  Movement mode  Track width  150 mm  Pump capacity  Fuel tank  Brake  Operating weight  4.75 kN (485 kgf)  4.75 kN (815 kgf)  8 kN (815 kgf)  4.2 mt  4.36 kN  5.3 kPa (0.27 kgf/cm²)  26.3 kPa (0.27 kgf/cm²)  4.36 kN  25°  26.3 kPa (0.27 kgf/cm²)  26.3 kPa (0.27 kgf/cm²)  4.36 kN  56.3 kPa (0.27 kgf/cm²)	Bucket capacity	$0.011  \text{m}^3$
Digging force (bucket)  Digging depth  1.2 mt  Starting  key, ignition and switching off + RECOIL  Forward speed  2.1 km/h  Traction power  4.36 kN  Swing speed  7.5 rpm  Slope  25°  Contact pressure with soil  Arm swing  Swing SX 70° / DX 70°  Movement mode  Rubber track  Track width  150 mm  Pump capacity  2 x 9 L/min  Fuel tank  9 L  Brake  Operating weight  8 kN (815 kgf)  1.2 mt  4.36 kN  56.3 kPa (0.27 kgf/cm²)  2 kg/limin  56.2 kg	Bucket width	290 mm
Digging depth 1.2 mt  Starting key, ignition and switching off + RECOIL  Forward speed 2.1 km/h  Traction power 4.36 kN  Swing speed 7.5 rpm  Slope 25°  Contact pressure with soil 26.3 kPa (0.27 kgf/cm²)  Arm swing swing SX 70° / DX 70°  Movement mode Rubber track  Track width 150 mm  Pump capacity 2 x 9 L/min  Fuel tank 9 L  Brake Hydraulic  Operating weight 562 kg	Digging force (arm)	4.75 kN (485 kgf)
Starting key, ignition and switching off + RECOIL  Forward speed 2.1 km/h  Traction power 4.36 kN  Swing speed 7.5 rpm  Slope 25°  Contact pressure with soil 26.3 kPa (0.27 kgf/cm²)  Arm swing swing SX 70° / DX 70°  Movement mode Rubber track  Track width 150 mm  Pump capacity 2 x 9 L/min  Fuel tank 9 L  Brake Hydraulic  Operating weight 562 kg	Digging force (bucket)	8 kN (815 kgf)
Starting         and switching off + RECOIL           Forward speed         2.1 km/h           Traction power         4.36 kN           Swing speed         7.5 rpm           Slope         25°           Contact pressure with soil         26.3 kPa (0.27 kgf/cm²)           Arm swing         swing SX 70° / DX 70°           Movement mode         Rubber track           Track width         150 mm           Pump capacity         2 x 9 L/min           Fuel tank         9 L           Brake         Hydraulic           Operating weight         562 kg	Digging depth	1.2 mt
Traction power         4.36 kN           Swing speed         7.5 rpm           Slope         25°           Contact pressure with soil         26.3 kPa (0.27 kgf/cm²)           Arm swing         swing SX 70° / DX 70°           Movement mode         Rubber track           Track width         150 mm           Pump capacity         2 x 9 L/min           Fuel tank         9 L           Brake         Hydraulic           Operating weight         562 kg	Starting	
Swing speed 7.5 rpm  Slope 25°  Contact pressure with soil 26.3 kPa (0.27 kgf/cm²)  Arm swing swing SX 70° / DX 70°  Movement mode Rubber track  Track width 150 mm  Pump capacity 2 x 9 L/min  Fuel tank 9 L  Brake Hydraulic  Operating weight 562 kg	Forward speed	2.1 km/h
Slope 25° Contact pressure with soil 26.3 kPa (0.27 kgf/cm²) Arm swing swing SX 70° / DX 70° Movement mode Rubber track Track width 150 mm Pump capacity 2 x 9 L/min Fuel tank 9 L Brake Hydraulic Operating weight 562 kg	Traction power	4.36 kN
Contact pressure with soil  Arm swing  Arm swing  Movement mode  Track width  Pump capacity  Fuel tank  Brake  Operating weight  26.3 kPa (0.27 kgf/cm²)  26.3 kPa (0.27 kgf/cm²)  26.3 kPa (0.27 kgf/cm²)  26.3 kPa (0.27 kgf/cm²)  27.4 Vising Single	Swing speed	7.5 rpm
soil  Arm swing swing SX 70° / DX 70°  Movement mode Rubber track  Track width 150 mm  Pump capacity 2 x 9 L/min  Fuel tank 9 L  Brake Hydraulic  Operating weight 562 kg	Slope	25°
Movement mode Rubber track  Track width 150 mm  Pump capacity 2 x 9 L/min  Fuel tank 9 L  Brake Hydraulic  Operating weight 562 kg	·	26.3 kPa (0.27 kgf/cm²)
Track width 150 mm  Pump capacity 2 x 9 L/min  Fuel tank 9 L  Brake Hydraulic  Operating weight 562 kg	Arm swing	swing SX 70° / DX 70°
Pump capacity 2 x 9 L/min  Fuel tank 9 L  Brake Hydraulic  Operating weight 562 kg	Movement mode	Rubber track
Fuel tank 9 L Brake Hydraulic Operating weight 562 kg	Track width	150 mm
Brake Hydraulic Operating weight 562 kg	Pump capacity	2 x 9 L/min
Operating weight 562 kg	Fuel tank	9 L
	Brake	Hydraulic
Retail price	Operating weight	562 kg
	Retail price	€ 6.990 - € 8.457,90*

# Scavare a fondo



# **ACCESSORIES**





COD. 31312 € 217,80\*

# **RAKE**



COD. 32180 € 272,25\*

# **SHOVEL STOP**



COD. 31310 € 84,70\*

### **FORK**



COD. 31315 € 308,55\*

# **ROLL BAR + CANOPY**



COD. 31305 € 441,65\*

# **BUCKET 20 CM**

COD. 31309

€ 145,20\*




COD. 31308

€ 169,40\*



# **EARTH AUGERS**

- Ideal for the preparation of land intended for piling, reforestation, planting of fruit trees on hills or in the mountains even in conditions of steep slopes.
- Suitable for agriculture, forestry, nurseries and construction sites.
- Drills in thick steel as well as the tip and the knife to ensure professional workmanship.



# NEA HO 35 COD. 875490

HONDA MOTOR GX35
Handling by 1 person
35 cc, weight without auger 13 kg
Max diameter 25 cm
Max drilling depth 80 cm - 120 cm with extension
Auger included: no

Retail price: € 600 - € 726,00\*

# NEA HO 50 COD. 882600

HONDA MOTOR GX50
Handling by 1 person
50 cc, weight without auger 13 kg
Max diameter 25 cm
Max drilling depth 80 cm - 120 cm with extension
Auger included: no

Retail price: € 675 - € 816,75\*



**EARTH AUGERS** 



# **NEA 450 ST**

**BLUEBIRD** INDUSTRIES

# COD. 888000/RO

Retail price	€ 585 - 707,85*
Weight**	10.7 kg
Auger included	no
Max. drilling depth	1.4 mt
Max. drilling diameter	Ø 250 mm
Power	2.0 kW/7500 rpm
Engine ST POWER	2-stroke* - 44.3 cc



# NEA 560 ST

### COD. 888010/RO

Engine ST POWER	2-stroke* - 53.2 cc
Power	2.4 kW/7500 rpm
Max. drilling diameter	Ø 250 mm
Max. drilling depth	1.6 mt
Auger included	no
Weight**	10.7 kg
Retail price	€ 605 - € 732,05*



# **NEA 610 ST**

# COD. 888020/RO

Retail price	€ 625 - € 756,25*
Weight**	10.7 kg
Auger included	no
Max. drilling depth	1.8 mt
Max. drilling diameter	Ø 250 mm
Power	2.8 kW/7500 rpm
Engine ST POWER	2-stroke* - 57.9 cc





### COD. 883490

Engine	2-stroke* - 42.7 cc
Power	1.25 kW/6500 rpm
Max. drilling diameter	Ø 250 mm
Max. drilling depth	1.2 mt
Auger included	no
Weight*	10.4 kg
Retail price	€ 405 - € 490,05*



\* 2% synthetic oil mixture \*\* Weight without mixture

### COD. 882650

Retail price	€ 1.590 - € 1.923,90*
Weight**	27 kg
Auger included	no
Reverse speed	yes
Max. drilling depth	2.0 mt
Max. drilling diameter	Ø 400 mm
Power	3.6 kW (4.8 Hp) 3600 rpm
Engine Honda	GCV 170 4 stroke - 166 cc



Engine	1E40FN - 43 cc
Power	1.25 kW 6500 rpm
Max. drilling diameter	Ø 200 mm
Gearbox	40:1
Fuel tank capacity	0,98 L
Auger included	200x800
Weight**	9,8 kg
Retail price	€ 275 - € 332,75*







Engine ST POWER	2-stroke* - 57.9 cc
Power	2.8 kW/7500 rpm
Tempered steel bit	77x77x900 mm
Max. drilling depth	0.9 mt
Auger included	yes
Weight*	18 kg
Retail price	€ 1.590 - € 1.923,90*





# \* 2% synthetic oil mixture \*\* Weight without mixture

# **EARTH AUGERS ACCESSORIES**

# **AUGER DRILL FOR NEA**

Model	Ø mm		
80 x 800	80	COD.720020	€ 127,05*
100 x 800	100	COD.720040	€ 133,10*
120 x 800	120	COD.720070	€ 145,20*
150 x 800	150	COD.720170	€ 151,25*
180 x 800	180	COD.720210	€ 187,55*
200 x 800	200	COD.720350	€ 193,60*
250 x 800	250	COD.727430	€ 272,25*



# **EXTENSION**

Without spiral for NEA		
Length 400 mm	COD.750360	€ 64,13*
With quick coupling fot	T 170 HOHO	
Length 500 mm	COD. 751380	€ 162,14
Length 1000 mm	COD. 751390	€ 188,76

# AUGER DRILL FOR NEA 521-ESS

Model	Ø mm		
80X800	80	COD.755160	€ 60,50*
100X800	100	COD . 755170	€ 72,60*
150X800	150	COD.755180	€ 84,70*
200X800	200	COD.755140	€ 96,80*
250X800	250	COD. 755190	€ 121.00*



one start	
Model	

Model	Ømm		
100 x 700	100	COD.722000	€ 211,75*
150 x 700	150	COD.722010	€ 260,15
100 x 1000	100	COD.722140	€ 272,25
150 x 1000	150	COD.722150	€ 302,50



# **DRILLING BITS**

per NEA	COD. 750750	€ 18,15*
per T170H	COD. 750760	€ 21,78*

# **DIGGING CUTTERS**

Ø mm 80	COD. 600470	€ 14,52*
Ø mm 170	COD. 600150	€ 14,52*



# **AUGER DRILL FOR T 170 HO**

two start

Model	Ø mm		
200 x 700	200	COD.722020	€ 296,45*
250 x 700	250	COD.722030	€ 326,70*
300 x 700	300	COD.722040	€ 502,15*
350 x 700	350	COD.722050	€ 550,55*
400 x 700	400	COD.722060	€ 605,00*
200 x 1000	200	COD.722160	€ 369,05*
250 x 1000	250	COD.722170	€ 393,25*
300 x 1000	300	COD.722180	€ 532,40*
350 x 1000	350	COD.722190	€ 617,10*
400 x 1000	400	COD.722200	€ 665,50*



# **DIGGING CUTTERS**


Ø mm 120	COD. 600450	€ 14,52*
Ø mm 150	COD. 600170	€ 15,73*
Ø mm 180	COD. 600460	€ 16,94*
Ø mm 200	COD. 600180	€ 16,94*
Ø mm 250	COD. 600190	€ 18,15*
Ø mm 300	COD. 600200	€ 18,15*
Ø mm 350	COD. 600210	€ 22,99*
Ø mm 400	COD. 600220	€ 24,20*





# **MOTOR DRILLS**

- State-of-the-art drilling or breaking tools.
- Thanks to the right balance between power and handling, they are also invaluable in extreme situations and not only on construction sites.
- The ergonomic design makes them easy to handle and suitable for all conditions.





- **01. Handle:** guarantees increased grip and reduced vibrations.
- **02. Engine**. two types of engines are available: Honda and Blue Bird.
- **03. Drilling head:** Bosch hammer and SDS-max tool attachment.



# **HB 26**



Engine Honda	GX 25 - 4 stroke OHC - 25 cc
Power	0.72 kW (1.0 Hp) 7000 rpm
Fuel	Gasoline
Beating unit	Bosch GBH 2-26
BPM	0-3900
Tools connection	SDS-plus
Drilling capacity	26 mm
Net weight*	6.5 kg
Retail price	€ 1.845 - € 2.232,45*



\* Weight without fuel

# **B HB 40**

	COD. 883250	COD. 883670
Engine	Honda GX 35 4 stroke OHC - 35.8 cc	Blue Bird 2 stroke - 44.3 cc
Power	1.0 kW (1.3 Hp) 7000 rpm	2 kW/7500 rpm
Fuel	Gasoline	Mixture
Beating unit	Bosch GBH 5-40 D	Bosch GBH 5-40 D
BPM	0-2900	0-2900
Tools connection	SDS-max	SDS-max
Capacità di perforazione	40 mm on concrete and helicoidal bit 55 mm on concrete and special bit 90 mm on masonry and front crown	40 mm on concrete and helicoidal bit 55 mm on concrete and special bit 90 mm on masonry and front crown
Net weight*	11 kg	11 kg
Retail price	€ 2.840 - 3.436,40*	€ 2.840 - 3.436,40*



\* Weight without fuel

# **BB 52**

### COD. 882020

2-stroke* - 53.2 cc
2.4 kW/7500 rpm
miscela 2% olio sintetico
Bosch UBH 12-520
0-2150
SDS-max
52 mm on concrete and helicoidal bit 55 mm on concrete and special bit 90 mm on masonry and front crown
15.3 kg
€ 3.835 - 4.640,35*



\* 2% mixture with synthetic oil \*\* Weight without fuel

# ZMJ260 NEW


Engine	Loncin 23 cc
Power	0.6 kW/7000 rpm
Fuel tank	0,41
Net weight*	4.1 kg
Retail price	€ 231 - € 279,51*





# **MOTOR TILLERS**

- Professional machines which, thanks to the transmission with oil bath gears, guarantee solidity and durability over time.
- Suitable for working large and hard ground, as well as as small areas, flowerbeds, vegetable gardens.
- The robust tillers guarantee operation in any terrain.
- Height and laterally adjustable handlebar provides maximum working comfort.





- 01. Height and laterally adjustable handle.
- **02. Engine:** wide range of engines: Honda, Loncin.
- **03. Gearbox** in oil bath with metal gears.

# MTH AN



- Honda GCV 170 engine with 166 cc displacement
- Petrol powered, ensures lower fuel consumption
- 1 forward gear
- Oil bath gearing transmission

Retail price	€ 785 - € 949,85*
Weight*	40 kg
Kit Shaft extension Tillers	optional
Front travel wheel	included
Tillers	Ø 30 cm with tiller discs Ø 20 cm
Tillers width	60 cm
Trasmission	Oil bath gears
Handle	height and side-adjustment
Speed	1 forward speed
Fuel	Gasoline
Displacement	166 cc
Engine Honda	GCV 170

<sup>\*</sup> Weight without fuel





### COD. 883660


	COD. 003000
Engine	Loncin
Displacement	196 cc
Fuel	Gasoline
Speed	1 forward speed
Handle	height and side-adjustment
Trasmission	Oil bath gears
Tillers width	60 cm
Tillers	Ø 30 cm with tiller discs Ø 20 cm
Front travel wheel	included
Extension for tiller discs	optional
Retail price	€ 625 - € 756,25



# MTL 50

### COD. 883450

Engine	Loncin LC1P65FC
Displacement	159 cc
Fuel	Gasoline
Speed	1 forward speed
Trasmission	belt
Tillers width	50 cm
Tillers	Ø 25 cm
Speed Tillers	90 rpm
Weight*	42.5 kg
Retail price	€ 500 - € 605,00*



# **MOTOR TILLERS ACCESSORIES FOR MT 60**

# **EXTENSION FOR TILLER DISCS**



**KIT FRONT TRAVEL** WHEEL



COD. 733010

COD. 726690 € 48,40\*







# **POWERFUL AND RAPID**

Blue Bird's wide range of motor pumps meets all the needs of individuals and professionals. Irrigating, watering, and draining are the three main actions that are enhanced by quality, sturdiness, and speed. In addition, muddy water motor pumps are capable of handling debris up to 8 mm in diameter. The range includes models equipped with HONDA engine and KOSHIN engine, one of the world leaders in the industry which has been a close partner with Blue Bird for more than 30 years.

Blue Bird's extensive range includes motor pumps with 1", 2" and 3" couplings, as well as a high-pressure model for special usages. High-quality materials, powerful motors, and mechanical construction place Blue Bird motor pumps at the top of their class and results. The example speaks for itself: after 100 hours of operation in muddy water, STV motor pumps maintain 10% higher flow rate and 30% higher pressure than clear water models.





Motor pumps

PAG 138

# **MOTOR PUMPS**

- Powerful and reliable, ideal for watering gardens and small crops, for application in the building sector, for draining garages and cellars.
- · Indispensable aid for irrigating, watering and emptying large basins with extreme speed by extracting water from ponds or cisterns.
- The range features 1" 2" 3" models and a high pressure model for special applications.





- 01. KOSHIN K 180 engine: with recoil starter, it guarantees low noise and low vibrations.
- **02.** Pump: usable for both muddy and sandy waters, equipped with silicone-based gaskets that guarantee a longer life.



# WATER

# WP 341

- 2-stroke engine with 25 cc displacement
- · Low weight
- Connection diameter 1"
- Maximum flow rate 100 l/min

# liters of power at your service



### COD. 879530

Engine Kendo	IE36FN - 2 tempi - 32.6 cc
Power	0.9 kW (1.2 CV) 8000 rpm
Fuel	Mixture 2% synthetic oil
Hose couplings Ø	1"
Max. lift	30 m
Max. delivery	100 l/min
Max. suction head	8 m
Net weight*	8 kg
Dimensions	355 x 285 x 395 mm
Retail price	€ 200 - € 242,00*

# SEV-50X

- 179 cc 4-stroke engine
- · Petrol powered
- Connection diameter 2"
- Maximum flow rate 620 l/min

# Every drop counts

Retail price	€ 420 - € 508,20*
Dimensions	514 x 410 x 426 mm
Net weight*	24.2 kg
Max. suction head	8 m
Max. delivery	620 l/min
Max. lift	25 m
Hose couplings Ø	2"
Fuel	Gasoline
Power	3.1 kW (4.2 CV) 3600 rpm
Engine Koshin	K 180 - 4 stroke - 179 cc





# SEV-80X

### COD. 878650

Engine Koshin	K 180 - 4 stroke - 179 cc
Power	3.1 kW (4.2 CV) 3600 rpm
Fuel	Gasoline
Hose couplings Ø	3"
Max. lift	25 m
Max. delivery	1050 l/min
Max. suction head	8 m
Net weight*	27.7 kg
Dimensions	553 x 435 x 483 mm
Retail price	€ 475 - € 574,75*



\* Weight without fuel and oil

# SEH-50X

# COD. 871220

Engine Honda	GX 120 - 4 stroke - 118 cc
Power	2.6 kW (3.5 CV) 3600 rpm
Fuel	Gasoline
Hose couplings Ø	2"
Max. lift	30 m
Max. delivery	600 I/min
Max. suction head	8 m
Net weight*	24 kg
Dimensions	493 x 377 x 415 mm
Note	Oil level alert
Retail price	€ 635 - € 768,35*



\* Weight without fuel and oil

# SEH-80X

Engine Honda	GX 160 - 4 stroke - 163 cc
Power	3.6 kW (4.9 CV) 3600 rpm
Fuel	Gasoline
Hose couplings Ø	3"
Max. lift	26 m
Max. delivery	930 l/min
Max. suction head	8 m
Net weight*	34 kg
Dimensions	530 x 399 x 473 mm
Note	Oil level alert
Retail price	€ 710 - € 859,10*



\* Weight without fuel and oil





### COD. 872620

Engine Honda	GX 160 - 4 stroke - 163 cc
Power	3.6 kW (4.9 CV) 3600 rpm
Fuel	Gasoline
Hose couplings Ø	2"
Max. lift	57 m
Max. delivery	440 l/min
Max. suction head	8 m
Net weight*	34 kg
Dimensions	545 x 415 x 455 mm
Note	Oil level alert
Retail price	€ 1.040 - € 1.258,40*



\* Weight without fuel and oil

# STV-50X / STV-80X

	COD. 880980	COD. 881000
Engine Koshin	K 180 - 4 stroke - 179 cc	K 180 - 4 stroke - 179 cc
Power	3.1 kW (4.2 CV) 3600 rpm	3.1 kW (4.2 CV) 3600 rpm
Fuel	Gasoline	Gasoline
Hose couplings Ø	2"	3"
Max. lift	26 m	26 m
Max. delivery	580 l/min	900 l/min
Max. suction head	8 m	8 m
Dimensione detriti	max 8 mm	max 8 mm
Net weight*	31 kg	32.9 kg
Dimensions	554 x 400 x 471 mm	593 x 425 x 528 mm
Retail price	€ 560 - € 677,60*	€ 620 - € 750,20*



\* Weight without fuel and oil





# PROTECTION AND COMFORT AT THE TOP.

Equipment, although evolved in terms of safety, is not enough if not accompanied by the appropriate clothing. With its new basic devices for personal protection, Blue Bird dresses the work of individuals and professionals. Because a job well done by the responsible choices of each.

The line of clothing and Accessories for personal protection Blue Bird are made with technical fabrics and functional materials that guarantee high comfort, resistance and protection. Particular attention has been given to breathability, elasticity and visibility, indispensable factors for any outdoor activity in any climate. The style is decided, linear, determined, like the spirit Blue Bird.





# PRACTICALITY TECHNICALITY SAFETY

The Blue Bird line dedicated to technical clothing presents the essential items for gardening, maintenance of the green, the garden and woodwork. Jacket, pants, helmet, gloves and glasses allow you to face any intervention combining excellent protection and great freedom of movement. Full of Blue Bird.

High style protection

# DEVICES OF PERSONAL PROTECTION & GADGET

Devices of personal protection

PAG 144

Gadget

**PAG 146** 



### **FOREST JACKET 4 WAY STRETCH**

Forest jacket suitable for offering protection and functionality. Made with durable and waterproof materials, such as reinforced nylon with a Teflon finish, which gives elasticity to 4 directions. Features Kevlar and Cordura inserts to ensure greater resistance to external agents that, combined with the presence of 3M reflective bands help increase visibility.

Size S-XXL

FOREST JACKET	COD. 755010/SIZE
Retail price	€ 125 - € 151.25*



# CHAINSAW RESIST TROUSERS

Class 1 chainsaw resist trousers specially designed to offer safety and performance with high fit and increased wear resistance. They are made with a 4-way stretch fiber and finished with Teflon, reinforced with Kevlar and Cordura inserts to protect from abrasions and impacts and feature fabric.

Size S-XXL CLASS 1 CHAINSAW RE-SIST TROUSERS

COD. 755020/SIZE

Retail price **€ 175 - € 211,75**\*



### **GARDEN TROUSERS**

ATILITY ENIECE

Garden Trousers offers flexibility thanks to the 4-way stretch polyester fabric. Protection guaranteed with 600D fabric and felt at the knee and lower front. The ventilation system with zipper on the back ensures breathability and comfort. An ideal pant for use in the garden, offering optimal protection during activities.

Size S-XXL







### **HELMET WITH FACE SHIELD AND HEADSET**

The nylon mesh (polyamide PA) guarantees a robust defense, the headset offers comfort with its soft padding, the head protection ensures total safety. The acoustic protection capsules, with sound insulation, complete the experience, ensuring a protected and serene working environment.

HELMET WITH FACE SHIELD AND HEADSET	COD. 752710
Retail price	€ 29 - € 35,09*



### PROTECTIVE GLOVES

Professional green gloves: elasticity and velcro closure for a perfect fit. Breathable, provide optimal comfort and protection during outdoor activities

Size 9"	COD. 755090
Size 10"	COD. 755100
Size 11"	COD. 755110
Size 12"	COD. 755120
Retail price	€ 23 - € 27,83*



### **PROTECTIVE GOGGLES**

Goggles are suitable for all activities that require visual security. Lightweight and comfortable, convex lenses provide a wide protective cover. Available in transparent or colored.

Retail price	€ 6,50 - € 7,87*
SUNGLASSES	COD. 755060
YELLOW	COD. 755050
TRANSPARENT	COD. 755040



### **BLUE BIRD SUSPENDERS FOR PANTS**

The professional Blue Bird braces are the ideal accessory for workers dedicated to green care, gardening and activities in the WOOD. Carefully designed to meet the practical and functional needs of those who work outdoors, these braces offer a perfect combination of comfort and endurance.

UNIQUE SIZE	COD. 755150
Retail price	€ 25 - € 30,25







# **WALL DISPLAY DOUBLE USE**

Wall display double use

**COD.** 841280

# **CENTRAL DISPLAY STAND** (GONDOLA STYLE)

Central display stand

**COD** 841370/2023



### **INSTITUTIONAL GAZEBO**

INSTITUTIONAL GAZEBO COD. 6901330

# **BEACHFLAGS**

OUTDOOR H310 INDOOR H260

**COD.** 6903850 **COD.** 6903860









T-SHIRT BLUE BIRD BLACK

Size S-XXL

T-SHIRT BLACK

COD. 6904150/SIZE

BLUEBIRD INDUSTRIES



# **BLUE BIRD GILET**

Size S-XXL

**GILET** COD. 6904410/SIZE

### **BLUE BIRD CAP**

CAP COD. 6904400











+39 0445 314138

www.bluebirdind.com

# **WHERE TO FIND OUR PRODUCTS**

All our distributors share with us the passion for the green and its responsible care. Trust them, they are experts in Blue Bird machinery and will help you find the right product for your needs. In our website you can discover the nearest dealer to you.

# Become part of Blue Bird planet







### **GENERAL WARNINGS**

The prices indicated \* in this catalog are with VAT.

The prices indicated in this catalog are updated as of March 1, 2024. BLUE BIRD INDUSTRIES reserves the right to change the sales prices.

With the publication of this catalog the previous catalogs lose all validity.

No rights can be asserted on the basis of data or images in this catalogue. We reserve the right to make changes in terms of technology, shape, colours, tools and price.

The delivery terms indicated by the company will be observed with reasonable punctuality, compatibly with the availability of the goods and in no case can the delay be the cause of requests for indemnity or cancellation of the contract.

Complaints received 8 (eight) days after receipt of the goods are not accepted.



# GENERAL SALES CONDITIONS

Can be consulted through this OR code



# **SECURITY GUARANTEED**

BLUE BIRD INDUSTRIES satisfies the ISO 9001 standards representing the high commitment in all organizational sectors for a complete quality management and respect for the environment.



bluebirdind.com



Via Due Camini 19 - 36010 Zanè (VI)